Date: 17 Apr, 1998

GREATER LENORA RESOURCES CORP.
EBY TOWNSHIP PROJECT
DRILL HOLE RECORD

Northing: 1875.00
Easting: -1600.00
Elevation: .00

Collar Azi.: 330 Deg.
Collar Dip: -50 Deg.

Hole Length: 334.98 m
Location: 18+75 N 16+00 W

Claim: 1186396
Drilled By: HEATH & SHERWOOD
Purpose: TEST IP ANOMALY

*** Dip Tests ***

Depth	Azi.	Dip
185	330	-49

Drill Hole: M98-1

Project: EBY TWP
Province: ONTARIO
Started: FEB 20, 1998
Finished: FEB 25, 1998
Core Size: NQ
Logged By: S.J. CARMICHEAL, MAR 17, 1998

RECEIVED
APR 27 1998
GEOSCIENCE ASSESSMENT OFFICE

From (m)	To (m)	Rock Type	Geology	Sample	From (m)	To (m)	Lngt (m)	Au ppb
.00	14.020		CASING					
14.02	14.360		GREYWACKE Brick red, hematized wacke.					
14.36	18.810		ARGILLITE Dark green, fine grained, bedded shale with miner greywacke beds. Bedding at 51 degrees to core angle.					
18.81	29.020		GREYWACKE Brick red, massive, poorly bedded wacke. 1-2% hairline calcite/hematite microfractures. 28.96 29.02 Basalt grit, tops uphole.					
29.02	98.450		ARGILLITE Same as unit at 14.36. Bedding at 50 degrees to core angle. Occasional subangular clast of granite/syenite (Glacial(?)). 48.83 49.74 GREYWACKE lower contact at 40 degrees to core angle. 56.39 56.72 GREYWACKE. 58.83 Bedding at 45 degrees to core angle. 63.09 64.31 GREYWACKE brick red, hematized greywacke, 1% hairline qtz stringers. 66.75 Bedding at 45 degrees to core angle. 70.50 72.39 GREYWACKE. 91.65 93.27 GREYWACKE.	8054	63.09	64.31	1.22	3.0
98.45	107.720		GREYWACKE Brick red, massive hematitic wacke. 2% calcite/hematite hairline fractures. 1% qtz fractures mineralized with specular hematite. 99.21 100.28 As above. 100.28 101.50 As above. 101.50 102.72 As above.	8055 8056 8057	99.06 100.28 101.50	100.28 101.50 102.72	1.22 1.22 1.22	nil 2.0 nil
107.72	198.330		ARGILLITE Same as unit at 29.02. Approximately 5-10% hematized greywacke beds. 115.21 Bedding at 45 degrees to core angle. Wacke beds becoming moderately magnetic after this interval indicating presence of magnetite. 148.65 Bedding at 48 degrees to core angle.					
198.33	214.270		GREYWACKE Dark green, slightly brick red, massive wacke with minor argillite beds weak to moderately magnetic with magnetism becoming stronger with an increase in hematite.					
214.27	235.800		ARGILLITE Dark green, slightly fractured throughout with 10-15% irregular hematite stringers. Fracturing appears to be tectonic in origin. Core becoming increasingly blocky and broken down	8058 8059	215.49 216.71	216.71 217.93	1.22 1.22	3.0 10.0

42A01SE2005 2.18367 EBY

SPARTON RESOURCES INC.

DRILL HOLE RECORD

M98-1 (continued)

From (m)	To (m)	Rock Type	Geology	Sample	From (m)	To (m)	Lngt (m)	Au ppb
			sections. Traces of chalcopyrite in calcite fractures.	8060	217.93	219.15	1.22	nil
			215.49 216.71 As above.	8061	219.15	220.37	1.22	5.0
			216.71 217.93 As above.	8062	220.37	221.59	1.22	7.0
			217.93 219.15 Increase in hematite fractures.	8063	221.59	222.81	1.22	15.0
			219.15 220.37 As above.	8064	222.81	224.03	1.22	26.0
			220.37 221.59 As above.	8065	227.08	228.30	1.22	2.0
			221.59 222.81 As above.					
			222.81 224.03 As above.					
			224.94 225.09 Fault gravel core.					
			225.61 225.73 Fault broken core.					
			227.08 228.30 10-15% hematite gash fractures.					
235.80	261.670		PALEO-TILL TILLITE					
			Poorly bedded coarse angular till with 10% granite boulders and cobbles and pebbles at volcanic and sediment lithologies. Unit shows little indication of washing or fluvial transport. Angular to subangular clasts indicates glacial transportation. The presence of granite boulders indicates post-Timiskaming units, likely Huronian supergroup.					
			261.21 261.67 Bleached weathered sediments.					
261.67	334.980		MAFIC VOLCANICS-BASALT					
			Moderately altered/carbonalized magnesium tholeiite. Fractured throughout with 5-10% carbonate stringers. Speckled throughout with leucoyene.	8066	261.67	263.04	1.37	2.0
			261.67 263.04 Fractured, weathered hematized basalt. Nil sulfides.	8067	263.04	264.26	1.22	nil
			263.04 264.26 Less hematized.	8068	264.26	265.48	1.22	2.0
			264.26 265.48 As above.	8069	265.48	267.00	1.52	nil
			265.48 267.0 Calcite/hemalite vein from 266.7 266.79. Dip of foliation at 36 degrees to core angle.	8070	296.57	297.21	.64	nil
			271.64 272.70 Mafic Intrusive Lower contact at 30 degrees to core angle.	8071	315.32	316.69	1.37	nil
			296.27 296.36 Fault Gravel core.	8072	316.69	317.91	1.22	5.0
			296.57 297.21 Highly fractured, weakly silicified. Nil sulfides.	8073	317.91	319.13	1.22	2.0
			300.69 Fault Gauge dip at 40 degrees to core angle.	8074	319.13	319.55	.42	nil
			307.85 Weak fault or shear. Dip 52 degrees to core angle.	8075	319.55	320.68	1.13	nil
			315.32 316.69 Moderately fractured. 5% qtz veins. Trace sulfides.	8076	323.21	324.00	.79	3.0
			316.69 317.91 AS ABOVE.	8077	324.00	325.10	1.10	51.0
			317.91 319.13 AS ABOVE.					
			319.13 319.55 AS ABOVE.					
			319.55 320.68 30% qtz veins. Average dip 61 degrees to core angle. Bleached sericitized vein contacts. Trace pyrite throughout.					
			320.86 321.66 GREYWACKE Foliation/bedding at 32 degrees to core angle.					
			323.21 324.00 10% qtz veins. Trace pyrite.					
			324.00 325.10 Bleached/sericitized basalt. Brecciated with 25% irregular qtz veins. 2% Clots and stringers at pyrite.					
			334.98 End Of Hole.					
			Casing pulled.					
			Core stored at Kenogami gravel pit.					

RECEIVED
APR 27 1998
GEOSCIENCE ASSESSMENT OFFICE

Date: 17 Apr, 1998

GREATER LENORA RESOURCES CORP.
EBY TOWNSHIP PROJECT
DRILL HOLE RECORD

Drill Hole: M98-2

Northing: 2475.00
Easting: -1815.00
Elevation: .00

Collar Azi.: 50 Deg.
Collar Dip: -50 Deg.

Hole Length: 148.44 m
Location: 24+75 N 18+75 W

Claim: ~~1186601~~ 12222 //
Drilled By: HEATH & SHERWOOD
Purpose: TEST MAGNETIC ANOMALY

*** Dip Tests ***
Depth Azi. Dip

Project: EBY TWP
Province: ONTARIO
Started: FEB 26, 1998
Finished: FEB 28, 1998
Core Size: NQ
Logged By: S.J. CARMICHEAL, MAR 17, 1998

2.18367

RECEIVED
APR 27 1998
GEOSCIENCE ASSESSMENT OFFICE

From (m)	To (m)	Rock Type	Geology	Sample	From (m)	To (m)	Lngt (m)	Au ppb
.00	9.750		CASING					
9.75	16.920		SYENITE Brick red,fine grained, massive syenite. 2-3% k-spar phenocrysts up to 2 mm in sizegiving a slight porphyritic texture. Weakly fractured with 2% hairline calcite/hematite stringers. Trace disseminations of chalcopyrite, pyrite and possible specular hemaTITE. 9.75 11.28 As above. 11.28 12.80 As above. 12.80 14.33 As above. 14.33 15.85 Argillite inclusions from 14.87 to 15.33. 15.85 16.92 Syenite.	8078 8079 8080 8081 8082	9.75 11.28 12.80 14.33 15.85	11.28 12.80 14.33 15.85 16.92	1.53 1.52 1.53 1.52 1.07	2.0 nil 5.0 3.0 nil
16.92	80.860		ARGILLITE Dark green, very fine grained, argillite with 10-20% beds of hematized grey wacke. Overall bedding id poor, very weak foliation/fabric. 26.97 28.56 Argillite and wacke, bedding at 52 degrees to CA. 33.83 34.14 Argillite and wacke. 59.65 Bedding at 52 degrees to CA.					
80.86	148.440		TILLITE ? Dark green wacke matrix with subangular to rounded clasts of highly variable lithologies. Average clast size is 2-3cm. Sandy matrix is highly magnetic throughout. Unit is the source of magnetic anomaly. 1-2% gash calcite fractures thoughout. Highly reacTIVE TO 10% HCL. 141.15 142.34 Fractured with 10% qtz/hematite veins. Trace chalcopyrite in veins. 148.44 End Of Hole. Casing pulled. Core stored at Kenogami gravel pit.	8083	141.15	142.34	1.19	5.0

42A01SE2005 2.18367 EBY 020

Ontario Ministry of Northern Development and Mines

Declaration of Assessment Work Performed on Mining Land

...bsection 65(2) and 66(3), R.S.O. 1990

Transaction Number (office use)
W9880.00249
Assessment Files Research Imaging

42A01SE2005 2.18367 EBY 900

M-002

...ority of subsections 65(2) and 66(3) of the Mining Act. Under section 8 of the ...ed to review the assessment work and correspond with the mining land holder. ...ining Recorder, Ministry of Northern Development and Mines, 6th Floor,

Instructions: - For work performed on Crown Lands before **recording** a claim, use form 0240.
- Please type or print in ink.

1. Recorded holder(s) (Attach a list if necessary)

2.18367

Name	Client Number
Greater Lenora	139225
Address	**Telephone Number**
4 Al Wende Ave P.O. Box 546	(705) 567-5351
Kirkland Lake, ON P2N3J5	Fax Number (705) 567-5557
Name	Client Number
Address	Telephone Number
	Fax Number

2. Type of work performed: Check (✓) and report on only ONE of the following groups for this declaration.

☐ Geotechnical: prospecting, surveys, assays and work under section 18 (regs) ☒ Physical: drilling, stripping, trenching and associated assays ☐ Rehabilitation

Work Type	Office Use
Diamond Drilling	Commodity
	Total $ Value of Work Claimed 31,034
Dates Work Performed From 20 Day 02 Month 98 Year To 17 Day 03 Month 98 Year	NTS Reference
Global Positioning System Data (if available) Township/Area Eby	Mining Division Larder Lake
M or G-Plan Number M-345	Resident Geologist District Kirkland Lake

Please remember to: - obtain a work permit from the Ministry of Natural Resources as required;
- provide proper notice to surface rights holders before starting work;
- complete and attach a Statement of Costs, form 0212;
- provide a map showing contiguous mining lands that are linked for assigning work;
- include two copies of your technical report.

RECEIVED
APR 27 1998
10.00
GEOSCIENCE ASSESSMENT OFFICE

3. Person or companies who prepared the technical report (Attach a list if necessary)

Name	Telephone Number
Heath & Sherwood Drilling P2N3L3	(705) 567-9311
Address	**Fax Number**
34 Duncan Ave N. Box 998 K.L.	(705) 567-3014
Name Stewart Carmichael	Telephone Number 705-567-7287
Address 42 Rand Ave E. K.L. ON. P2N1X1	Fax Number SAME
Name	Telephone Number
Address	Fax Number

RECEIVED
LARDER LAKE
MINING DIVISION
APR 23 1998
3252

4. Certification by Recorded Holder or Agent

I, GLENN KASNER (Print Name), do hereby certify that I have personal knowledge of the facts set forth in this Declaration of Assessment Work having caused the work to be performed or witnessed the same during or after its completion and, to the best of my knowledge, the annexed report is true.

Signature of Recorded Holder or Agent	Date
×	× April 23/98
Agent's Address	**Telephone Number** / **Fax Number**
4 Al Wende Ave. P2N 3J5	(705) 567-5351 / (705) 567-5557

0241 (02/96)

Deemed Filed 22/04/98

5. Work to be recorded and distributed. Work can only be assigned to claims that are contiguous (adjoining) to the mining land where work was performed, at the time work was performed. A map showing the contiguous link must accompany this form.

W9880. 00249

	Mining Claim Number. Or if work was done on other eligible mining land, show in this column the location number indicated on the claim map.	Number of Claim Units. For other mining land, list hectares.	Value of work performed on this claim or other mining land.	Value of work applied to this claim. 2.18367	Value of work assigned to other mining claims.	Bank. Value of work to be distributed at a future date.
eg	TB 7827	16 ha	$26, 825	N/A	$24,000	$2,825
eg	1234567	12	0	$24,000	0	0
eg	1234568	2	$ 8, 892	$ 4,000	0	$4,892
1	L1222211	3	8534		1075	7459
2	L1186396	2	22,500	1599	14,119	~~8381~~ 6782 GK
3	L1186391	3		2400		
4	L1186392	1		400		
5	L1186393	4		3198		
6	L1186394	3		2398		
7	L1186395	3		2398		
8	L618673	1		800		
9	L618674	1		800		
10	L618675	1		800		
11	L618676	1		800		
12	L618677	1		800		
13	L640893	1		400		
14						
15						
	Column Totals		31,034	16,793	15,194	14,241

I, GLENN KASNER (Print Full Name), do hereby certify that the above work credits are eligible under subsection 7 (1) of the Assessment Work Regulation 6/96 for assignment to contiguous claims or for application to the claim where the work was done.

Signature of Recorded Holder or Agent Authorized in Writing
x [signature]

Date April 23/98

RECEIVED
APR 27 1998 10:00
GEOSCIENCE ASSESSMENT OFFICE

6. Instructions for cutting back credits that are not approved.

Some of the credits claimed in this declaration may be cut back. Please check (✓) in the boxes below to show how you wish to prioritize the deletion of credits:

- ☒ 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated.
- ☐ 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- ☐ 3. Credits are to be cut back equally over all claims listed in this declaration; or
- ☐ 4. Credits are to be cut back as prioritized on the attached appendix or as follows (describe):

Note: If you have not indicated how your credits are to be deleted, credits will be cut back from the Bank first, followed by option number 2 if necessary.

For Office Use Only

Received Stamp

RECEIVED
PORCUPINE LAKE
MINING DIVISION
APR 23 1998
3 25 PM

Deemed Approved Date	Date Notification Sent
Date Approved	Total Value of Credit Approved
Approved for Recording by Mining Recorder (Signature)	

0241 (02/96)

Ontario Ministry of Northern Development and Mines

Statement of Costs for Assessment Credit

Transaction Number (office use)
W9880.00249

M002

Personal information collected on this form is obtained under the authority of subsection 6(1) of the Assessment Work Regulation 6/96. Under section 8 of the Mining Act, the information is a public record. This information will be used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to the Chief Mining Recorder, Ministry of Northern Development and Mines, 6th Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

2.18367

Work Type	Units of Work Depending on the type of work, list the number of hours/days worked, metres of drilling, kilometres of grid line, number of samples, etc.	Cost Per Unit of work	Total Cost
Diamond Drilling	483.1 metres	$49.50	23,909.
Core logging	1 day	$275.	275.
Core Sawing	113' NQ	$2.25'	254.
Associated Costs (e.g. supplies, mobilization and demobilization).			
Core shack Rental			$40.
Mob/Demob			753.
Consulting			3255.
Section Maps etc			1950.
Assays			598.
Transportation Costs			
RECEIVED LARDER LAKE MINING DIVISION APR 23 1998 3.25% **Food and Lodging Costs**			
		Total Value of Assessment Work	31,034

Calculations of Filing Discounts:

1. Work filed within two years of performance is claimed at 100% of the above Total Value of Assessment Work.
2. If work is filed after two years and up to five years after performance, it can only be claimed at 50% of the Total Value of Assessment Work. If this situation applies to your claims, use the calculation below:

TOTAL VALUE OF ASSESSMENT WORK × 0.50 = Total $ value of worked claimed.

Note:
- Work older than 5 years is not eligible for credit.
- A recorded holder may be required to verify expenditures claimed in this statement of costs within 45 days of a request for verification and/or correction/clarification. If verification and/or correction/clarification is not made, the Minister may reject all or part of the assessment work submitted.

RECEIVED
APR 27 1998
GEOSCIENCE ASSESSMENT OFFICE

Certification verifying costs:

I, GLENN KASNER (please print full name), do hereby certify, that the amounts shown are as accurate as may reasonably be determined and the costs were incurred while conducting assessment work on the lands indicated on the accompanying Declaration of Work form as Agent (recorded holder, agent, or state company position with signing authority) I am authorized to make this certification.

Signature: [signature] Date: April 23/98

0313 (02/96)

Ministry of
Northern Development
and Mines

Ministère du
Développement du Nord
et des Mines

Ontario

Geoscience Assessment Office
933 Ramsey Lake Road
6th Floor
Sudbury, Ontario
P3E 6B5

Telephone: (888) 415-9846
Fax: (877) 670-1555

Visit our website at:
www.gov.on.ca/MNDM/MINES/LANDS/mlsmnpge.htm

September 4, 1998

Glenn Kasner
GREATER LENORA RESOURCES CORP
BOX 546, 4 AL WENDE AVENUE
KIRKLAND LAKE, Ontario
P2N-3J5

Dear Sir or Madam:

Submission Number: 2.18367

Status

Subject: Transaction Number(s): W9880.00249 Approval After Notice

---

We have reviewed your Assessment Work submission with the above noted Transaction Number(s). The attached summary page(s) indicate the results of the review. WE RECOMMEND YOU READ THIS SUMMARY FOR THE DETAILS PERTAINING TO YOUR ASSESSMENT WORK.

If the status for a transaction is a 45 Day Notice, the summary will outline the reasons for the notice, and any steps you can take to remedy deficiencies. The 90-day deemed approval provision, subsection 6(7) of the Assessment Work Regulation, will no longer be in effect for assessment work which has received a 45 Day Notice. Allowable changes to your credit distribution can be made by contacting the Geoscience Assessment Office within this 45 Day period, otherwise assessment credit will be cut back and distributed as outlined in Section #6 of the Declaration of Assessment work form.

Please note any revisions must be submitted in DUPLICATE to the Geoscience Assessment Office, by the response date on the summary.

If you have any questions regarding this correspondence, please contact Lucille Jerome by e-mail at jeromel2@epo.gov.on.ca or by telephone at (705) 670-5858.

Yours sincerely,

ORIGINAL SIGNED BY
Blair Kite
Supervisor, Geoscience Assessment Office
Mining Lands Section

Correspondence ID: 12748

Copy for: Assessment Library

Work Report Assessment Results

Submission Number: 2.18367

Date Correspondence Sent: September 04, 1998 **Assessor:** Lucille Jerome

Transaction Number	First Claim Number	Township(s) / Area(s)	Status	Approval Date
W9880.00249	1222211	EBY	Approval After Notice	September 04, 1998

Section:
17 Assays ASSAY
16 Drilling PDRILL

The revisions outlined in the Notice dated July 21, 1998, have been corrected. Accordingly, assessment work credit has been approved as outlined on the original Declaration of Assessment Work Form.

Correspondence to:

Resident Geologist
Kirkland Lake, ON

Assessment Files Library
Sudbury, ON

Recorded Holder(s) and/or Agent(s):


Glenn Kasner
GREATER LENORA RESOURCES CORP
KIRKLAND LAKE, Ontario

Correspondence ID: 12748

TRIM LINE

2.18367
PDRIAL

Grenfell Twp. M.351



THE TOWNSHIP
OF

EBY

DISTRICT OF
TIMISKAMING

LARDER LAKE
MINING DIVISION

SCALE: 1-INCH=40 CHAINS

LEGEND

PATENTED LAND	(P)
CROWN LAND SALE	C.S.
LEASES	(L)
LOCATED LAND	Loc.
LICENSE OF OCCUPATION	L.O.
MINING RIGHTS ONLY	M.R.O.
SURFACE RIGHTS ONLY	S OR S.R.O.
ROADS	
IMPROVED ROADS	
KING'S HIGHWAYS	
RAILWAYS	
POWER LINES	
MARSH OR MUSKEG	
MINES	
CANCELLED	K.C.

NOTES

400' surface rights reservation along the shores of all lakes and rivers.

AREAS WITHDRAWN FROM STAKING

Surface Rights Withdrawn under Sec. 36.
The Mining Act R.S.O. 1980, ORDER NO. W-01/81/ONT
(Trans Canada Pipeline Right of Way and Buffer
Zone particularly 40.25 metres or 132 ft.
ither side of centre line of right of way)

THE INFORMATION THAT APPEARS ON THIS MAP HAS BEEN COMPILED FROM VARIOUS SOURCES, AND ACCURACY IS NOT GUARANTEED. THOSE WISHING TO STAKE MINING CLAIMS SHOULD CONSULT WITH THE MINING RECORDER, MINISTRY OF NORTHERN DEVELOPMENT AND MINES, FOR ADDITIONAL INFORMATION ON THE STATUS OF THE LANDS SHOWN HEREON.

DATE OF ISSUE
1988
RECORDING OFFICE
SUDBURY

PLAN NO. M-345

MINISTRY OF NORTHERN
DEVELOPMENT AND MINES

COPY OF THIS MYLAR
ARCHIVED APR.27/92
ARCHIVED JANUARY 26, 1995
ARCHIVED ON JUNE 01/95
ARCHIVED JULY 19, 1996

K. Kalamov

Rec'd Jan. 25/89

42A01SE2005 2.18367 EBY 200

TRIM LINE

2850N

2825N

KENOGAMI
LAKE

1222211

1186396

M98-2
AZ. 50°
DIP -50°
148.44m

M98-1
AZ. 330°
DIP -50°
334.98m

1000TLN

1 W
2 W
3 W
5 W
7 W
9 W
11 W
13 W
15 W
17 W
19 W

ANGLE
GRID

2.18367

LEGEND

- MAGNETIC ANOMALY
- DIAMOND DRILL HOLE
- IP ANOMALY
- CLAIM POST

RECEIVED
SEP - 4 1998
GEOSCIENCE ASSESSMENT OFFICE

0 15m 30m

42A01SE2005 2.18367 EBY 210

GREATER LENORA
RESOURCES CORPORATION

EBY TOWNSHIP

PROPERTY PLAN MAP

		List of Revisions		
Acad by: SAA	MAR 98	No.	By:	Date:
Scale - 1 : 5000 metric				
		File Name: PLAN-1.dwg		

19+00N | 20+00N | 21+00N

CLAIM 1186396

1875.00N
1600.00W

0+00

-1+00

-2+00

CAS

GRE
ARG

~50°

GRE
25.

50.

ARG

75.

IRR
GRE

125.

ARG

150.

175.

200.

GRE

ARG
225.

F

PTT

250.

MFI
275.

F F

300.

325.

EOH
334.38m
AZ. 330°
M98-1

LEGEND

CAS CASING

ROCK CODES

GRE GREYWACKE
ARG ARGILLITE
PTT PALEO-TILL TILLITE
MFI MAFIC VOLCANICS-BASALT

ASSAYS ARE REPORTED IN ppb OVER CORE LENGTH (metres)

0 15m 30m

2.18367

RECEIVED
SEP - 4 1998
GEOSCIENCE ASSESSMENT OFFICE

GREATER LENORA
RESOURCES CORPORATION

EBY TOWNSHIP

DRILL HOLE SECTION 16+00 W
SECTION OF HOLE 98-1
SECTION LOOKING WEST

Logll By: SAA	MAR 98	List of Revisions	
Acad by: SAA	MAR 98	No.	By: Date:
Scale - 1 : 500		File Name: M98-1A.dwg	

42A01SE2005 2.18367 EBY

220

19+00W

18+00W

17+00W

100+00


0+00

-1+00

-2+00

CLAIM 1222211

MAGNETIC ANOMALY



LEGEND

CAS	CASING
	ROCK CODES
SYE	SYENITE
ARG	ARGILLITE
TIL	TILLITE

RECEIVED
SEP - 4 1998
GEOSCIENCE ASSESSMENT OFFICE

2.18367

0 15m 30m

42A01SE2005 2.18367 EBY 230

GREATER LENORA
RESOURCES CORPORATION

EBY TOWNSHIP

DRILL HOLE SECTION 98-2
DRILL HOLE 98-2
SECTION LOOKING NORTH

		List of Revisions		
Logll By: SAA	MAR 98	No.	By:	Date:
Acad by: SAA	MAR 98			
Scale - 1 : 500		File Name: M98-2A.dwg		