Plinky Property

East Group

Otto Township

NTS-42 A/1

80°05'W, 48°04'N

Prepared By : Eric Marion

RECEIVED
JUN 04 2003
GEOSCIENCE ASSESSMENT OFFICE

42A01SE2017 2.25742 OTTO

DAYS WORKED

DRILLING AND RELATED

ODH-2A

[illegible]		11h
[illegible]		9h
[illegible]	2002	8h
MAY 28	2002	10h
MAY 29	2002	12h
MAY 30	2002	10h
MAY 31	2002	10½h
JUNE 2	2002	11h
JUNE 3	2002	½ DAY - LOG CORE

ODH-1A

JUNE 4	2002	10h
JUNE 5	2002	9h
JUNE 6	2002	10½h
JUNE 7	2002	11h
JUNE 9	2002	10h
JUNE 10	2002	10½h
JUNE 11	2002	9h
JUNE 12	2002	10h
JUNE 13	2002	9½h
JUNE 14	2002	8½h PACKING OUT
JUNE 15	2002	15½h PACKING OUT
JUNE 25	2002	½ DAY - LOG CORE

INDEX

Property Location 3

Access 3

Claims 3

General Geology/Claim Geology 3

Previous Work 3

Present Work 6

Conclusions 6

Drill Hole Logs ODH-1a & ODH-2a ..... appended

FIGURES

Fig-1 Location 1

Fig-2 Claim Map 2

Fig-3 General Geology 4

Fig-4 Claim Geology 5

Fig-5 Drill Hole Locations 7

Fig-6 Drill Hole Sections 8




Figure-1 - Location




Figure - 2 Claim Map

PROPERTY LOCATION

The property is located in the Larder Lake mining division approximately 3 kilometers due south of the town of Swastika.The claim group sits in the central part of the north half of Otto Township. This area is in the Kirkland Lake Geologist District and can be found on NTS-42 A/1 with the geographic center being at approximately 80°05'W and 48°04'N.

ACCESS

Heading south, off of Hwy 66 west of Swastika, on Otto Road for 1 kilometer will bring you to a fork in the road. Taking the left (east) road and following it for 1 ½ kilometers will bring you to the north border of the claim group. This road continues on through the group.Access around the area is via old cut roads and some hunting trails.

CLAIMS

The property consists of three contiguous staked mining claim blocks totaling 17 claim units recorded on Plan M-379 of Otto Township, which is a subdivided township. The claims and descriptions are as follows :


CL#1239345— Lot 7, Con.5 N1/2 + Lot 8, Con.5 N1/2(no SW1/4)
CL#1239346— Lot 6, Con.5 S1/2 + Lot 6, Con5 S1/2 of N1/2
CL#1239347— Lot 9, Con.5 N1/2

GENERAL GEOLOGY /CLAIM GEOLOGY

The claim group straddles the northern contact of the Otto Stock, a syenitic intrusive complex, and mafic volcanic rocks interlayered with interflow sediments, agglomerates and some cherty and sulfide iron formation.A mapped splay of the Larder-Cadillac Deformation Zone passes through the northwestern corner of the claim group. Small bodies of syenite and lamprophyre , probably related to the Otto Stock, intrude the overlying volcanic rocks in several locations.The geological environment present on the claims appears to be identical to that 3km to the west where recent work by the OGS(ref Matachewan-Swastika Recognizance-2001,Ben Burger) and Resident Geologists Office has encountered a platinum,-palladium,gold, copper occurance in amphibolite rock in the contact aereole of a zoned syenetic(possibly sanukitoid suite), intrusive.

PREVIOUS WORK

There is very little submitted assesment work on this claim group. A limited airborne magnetometer and VLF survey, geological mapping and four short core holes were drilled by a company called Minorex, in the 1980's. The drill holes do not correlate with the geophysics performed and the rock logged would indicate the drill target to be pyritized felsic tuffs.No follow up work was performed(submitted) to establish the cause of magnetic anomolies defined by the airborne work.



LEGEND

Proterozoic

Keeweenawen diabase (not shown)

12 Cobalt Group

Archean

Matachewan diabase (not shown)

Granitic rocks

11 Granodiorite, monzonite, quartz monzonite, syenite

10 Massive to gneissic quartz diorite, tonalite, trondhjemite

Upper Supergroup

9 9a* Timiskaming Group, 9b** Destor-Porcupine Complex

8 8a, 8n, Blake River Group, 8c*** Blake River (Upper Fm., Tisdale Group)

7 7a, 7b, Kinojevis Group, 7c Kinojevis Group, (Middle Fm., Tisdale Group)

6 6a Larder Lake Group, 6b Stoughton Roquemaure Group, 6c Lower Fm., Tisdale Group

5 5c Porcupine Group

Lower Supergroups

4 4a Skead Group, 4b Hunter Mine Group, 4c Upper Fm., Deloro Group

3 3a Catherine Group, 3c Middle Fm., Deloro Group

2 2a Wabewawa Group, 2c Lower Fm. Deloro Group

1 1a Pacaud tuffs****

*a refers to Kirkland Lake Area, south limb of synclinorium (Jensen 1978c, 1979).
**b refers to Kirkland Lake Area, north limb of synclinorium (Jensen 1978, 1978b).
***c refers to Timmins Area (Pyke, 1980).
**** (Goodwin, 1965).

Figure-3 - General Geology

Pipeline (gas)

Vigrass Lake

Otto Lake

Murdock

Shaft

Adit

Au

Pit

carb

Pits

RA

ne

bn

qc

q

VI

V

IV

24

25

22

O T T O

LEGEND

CENOZOIC[a]

PLEISTOCENE AND RECENT

Silt, clay, sand, gravel.

UNCONFORMITY

PRECAMBRIAN[b]

PROTEROZOIC

LATE MAFIC INTRUSIVE ROCKS (NIPISSING OR KEWEENAWAN)

9 Diabase.

INTRUSIVE CONTACT

HURONIAN

COBALT GROUP

GOWGANDA FORMATION

8a Conglomerate.
8b Arkose, greywacke, argillite.

UNCONFORMITY

ALKALIC INTRUSIVE ROCKS

7a Coarse-grained syenite, syenite porphyry, pegmatite.
7b Mafic syenite, syenite contaminated by country rocks.
7c Medium-grained syenite, aplite dikes.
7d Syenite with numerous xenoliths and autoliths.
7e Lamprophyre.
7f Quartz syenite, granite.
7g Diorite.

INTRUSIVE CONTACT

ARCHEAN

MAFIC INTRUSIVE ROCKS (MATACHEWAN OR NIPISSING)

6 Diabase.

INTRUSIVE CONTACT

FELSIC INTRUSIVE ROCKS (ALGOMAN)

5a Granite, porphyritic granite, granodiorite.
5b Granodioritic gneiss.
5c Syenite and trachyte.
5d Mafic syenite and mafic trachyte.

INTRUSIVE CONTACT

EARLY MAFIC AND ULTRAMAFIC ROCKS (HAILEYBURIAN, EARLY ALGOMAN, AND KEEWATIN)

4a Serpentinite, peridotite.
4b Gabbro, diorite.

INTRUSIVE CONTACT

METASEDIMENTS (TIMISKAMING AND KEEWATIN)

3a Conglomerate.
3b Quartzite, greywacke.
3c Tuff, agglomerate, minor amounts of trachyte agglomerate, breccia.

UNCONFORMITY AND INTERBEDDING

FELSIC METAVOLCANICS (KEEWATIN)

2a Rhyolite, dacite.
2b Iron formation, silicic tuff, agglomerate.
2c Dacite porphyry, amygdaloidal and spherulitic dacite.

MAFIC METAVOLCANICS AND METASEDIMENTS

1 Unsubdivided mafic volcanics.
1a Basalt, andesite.
1b Chloritic mafic tuff, agglomerate.
1c Altered (bleached, carbonatized) volcanic and sedimentary rocks.

PRESENT WORK

After the completion of the initial drill holes ,it was deceided to drill follow up holes .A second hole oriented north(1a) was done in an attempt to pass through a fractured silicious zone in which the first hole lost circulation and was stopped due to drill bit damage. This follow up hole encountered similar problems and also was stopped.

The second follow up hole was done in order to try to pass beyond the lower contact of the feldspar porphyry that the first south drilled hole was stopped in . The azimuth change apparently was more perpendicular to the unit and the drill hole did pass into another rock. Interestingly,lightly pyritized tight veining on fractures, on the lower contact were encountered.Some molybdenite occurs within one of the ¼ inch veins.

CONCLUSIONS

More sampling of the drill core should be done to define the potential of this area.

DRILL HOLE LOCATION MAP
CLAIM 1239346 - OTTO TWP.




Figure 5

Ministry of Northern Development and Mines
Ontario

Ministère du Développement du Nord et des Mines

Diamond Drilling Log

Journal de forage au diamant

Complete this form and related sketch in duplicate.
Remplir en deux exemplaires la présente formule et le croquis annexé

Fill in on every page
Remplir ces cases à chaque page

Hole No. / Forage n° : ODH-1A
Page No. / Page n° : 1

Drilling Company / Compagnie de forage: ERIC MARION		Collar Elevation / Élévation du collier	Bearing of hole from true North/Position du forage par rapport au nord vrai: 010° Azt.	Total Footage / Avancement total du forage: 62'	Dip of Hole at / Inclinaison du forage au: Collar/collier -38°	Address/Location where core stored / Adresse/endroit où la carotte est stockée: 126 DUNCAN AVE KIRKLAND LAKE	Map Reference No. / N° de référence sur la carte: NTS 42A/1
Date Hole Started / Date de commencement du forage: JUNE 4, 2002	Date Completed / Date d'achèvement: JUNE 15 2002	Date Logged / Date d'inscription au journal: JUNE 25, 2002	Logged by / Inscrit par: ERIC MARION		Ft./Pi		Claim No. / N° de concession minière: 1239346
Exploration Co., Owner or Optionee / Compagnie d'exploration, propriétaire ou titulaire d'option: ERIC MARION		Date Submitted / Date de dépôt	Submitted by (Signature) / Déposé par (signature)		Ft./Pi		Location (Twp. Lot, Con. or Lat. and Long.) / Emplacement (canton, lot, concession, ou latitude et longitude): OTTO TWP M-0379 LOT 6, CONS, N½, SW¼
					Ft./Pi		Property Name / Nom de la propriété: PLINKY PROPERTY (EAST,

Footage/Avancement From/De	To/À	Rock Type / Type de roche	Description (Colour, grain size, texture, minerals, alteration, etc.) / Description (Couleur, granulométrie, texture, minéraux, transformation, etc.)	Planar Feature Angle*/Angle des caractéristiques planes	Core Specimen Footage †/ Longueur en pieds des carottes prélevées	Your Sample No. / N° d'échantillon du prospecteur	Sample Footage/Niveau de prélèvement de l'échantillon (en pieds) From/De	To/À	Sample Length / Longueur de l'échantillon	Assays †/Analyses minéralurgiques
0	24½'	TUFF	MEDIUM GREY GREEN MAFIC TUFF. MEDIUM GRAINED. ODD RIUNDED CLAST FROM 0-13 MUCH EPIDOTE HEMATITE ALTERATION IN MASSES AND CROSS CUTTING APPEARING RELATION TO ABOUT 30% OF SECTION. SOME PYRITE AND ODD CHPY. SECTION IS FRACTURED WITH STRAINED APPEARANCE DOMINANTLY AT ABOUT 80° TO CA. FROM 13-24½ FAIRLY HOMOGENEOUS GREY GREEN TUFF. RED GRANITE PEBBLE AND BIMODAL PORPHYRY PEBBLE AT 16' 12'-24½' APPEARS TO BE A RECRYSTALIZED SECTION							
24½	28	VEIN/CHERTY I.F.	SILICIFIED ZONE MUCH MILKY WHITE QZ MUCH PY AND ODD. CHPY IN FINE STRINGERS, AGGREGATES AND DISSEMINATIONS. NO APARENT BEDDING FEATURES IF INDEED IRON FORMATION, THOUGH SOME REDDISH SECTIONS WHICH MAY BE RELICT IRON(HEM). INDISTINCT CONTACT.							
28	32½	PORPHYRY	REDDISH BIMODAL FELDSPAR PORPHYRY LIGHTLY MAGNETIC. ODD ½"-1" MAFIC XENOLITH							
32½	38½	LAMP DYKE?	SLIGHTLY LARGER CRYSTAL SIZE AT TOP OF UNIT. MUCH MICA VISIBLE FROM 32½ TO 34. SMALL BIMODAL							

42A01SE2017 2.25742 OTTO
020

0204 (03/91)

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.
*Exemples de caractéristiques : foliation, schistosité, stratification. L'angle est mesuré par rapport à l'axe longitudinal de la carotte.

† Additional credit available. See Assessment Work Regulation.
† Des crédits supplémentaires sont offerts. Consulter les règlements relatifs aux travaux d'évaluation.
Nota : Dans cette formule, lorsqu'il désigne des personnes, le masculin est utilisé au sens neutre.

Ministry of Northern Development and Mines
Ontario

Ministère du Développement du Nord et des Mines

Diamond Drilling Log

Journal de forage au diamant

Complete this form and related sketch in duplicate.
Remplir en deux exemplaires la présente formule et le croquis annexé

Fill in on every page
Remplir ces cases à chaque page

Hole No. Forage n° ODH-1A

Page No. Page n° 2

Footage/Avancement From/De	To/À	Rock Type Type de roche	Description (Colour, grain size, texture, minerals, alteration, etc.) Description (Couleur, granulométrie, texture, minéraux, transformation, etc.)	Planar Feature Angle*/Angle des caractéristiques planes	Core Specimen Footage †/Longueur en pieds des carottes prélevées	Your Sample No. N° d'échantillon du prospecteur	Sample Footage/Niveau de prélèvement de l'échantillon (en pieds) From/De	To/À	Sample Length Longueur de l'échantillon	Assays †/Analyses minéralurgiques
			PORPHYRY TONGUE AT 34½' UNIT HAS MEDIUM GREY GREEN COLOR AND AVERAGE 1-1½mm GRAIN SIZE.							
38½	43½	VEIN - IF	SAME AS VEIN OR UNIT PROPER CUT WITH DARKER GREYISH QZ. FRACTURED-HEALED APPEARANCE IN SECTIONS.							
43½	49		PEDDS # BIMODAL FELDSPAR PORPHYRY. LARGER GENERATION OF FELDSPARS PINKISH TINGED.							
49	51	VEIN-IF	SAME AS PROPER 5½' - ¼" FINE GRAIN QV STRINGER 20° TO CA							
51	62	TUFF	BRECCIATED PYRITIZED SOMEWHAT SILICIFIED GARNET-IFEROUS TUFF DOMINANTLY GREEN COLOR SOMEWHAT AGGLOMERATIC IN SECTIONS BECOMING GRAPHITIC AT 61½' TO END OF HOLE							
62'			---EOH ---							

0204 (03/91)

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.
*Exemples de caractéristiques : foliation, schistosité, stratification. L'angle est mesuré par rapport à l'axe longitudinal de la carotte.

† Additional credit available. See Assessment Work Regulation.
† Des crédits supplémentaires sont offerts. Consulter les règlements relatifs aux travaux d'évaluation.

Ministry of Northern Development and Mines
Ontario

Ministère du Développement du Nord et des Mines

Diamond Drilling Log

Journal de forage au diamant

Complete this form and related sketch in duplicate.
Remplir en deux exemplaires la présente formule et le croquis annexé

Fill in on every page
Remplir ces cases à chaque page

Hole No. / Forage n° : ODH-2A
Page No. / Page n° : 1

Drilling Company / Compagnie de forage: ERIC MARION		Collar Elevation / Élévation du collier	Bearing of hole from true North/Position du forage par rapport au nord vrai: 198° Az.	Total Footage / Avancement total du forage: 72'	Dip of Hole at / Inclinaison du forage au: Collar/collier -30°	Address/Location where core stored / Adresse/endroit où la carotte est stockée: 126 DUNCAN AVE KIRKLAND LAKE	Map Reference No. / N° de référence sur la carte: NTS 42 A/1
Date Hole Started / Date de commencement du forage: MAY 25, 2002	Date Completed / Date d'achèvement: JUNE 2, 2002	Date Logged / Date d'inscription au journal: JUNE 3, 2002	Logged by / Inscrit par: ERIC MARION		Ft./Pi		Claim No. / N° de concession minière: 1239346
Exploration Co., Owner or Optionee / Compagnie d'exploration, propriétaire ou titulaire d'option: ERIC MARION		Date Submitted / Date de dépôt	Submitted by (Signature) / Déposé par (signature): [signature]		Ft./Pi		Location (Twp. Lot, Con. or Lat. and Long.) / Emplacement (canton, lot, concession, ou latitude et longitude): OTTO TWP M-0379 LOT 6, CONS, N½ SW¼
					Ft./Pi		Property Name / Nom de la propriété: PLINKY PROPERTY (EAST)

Footage/Avancement From/De	To/À	Rock Type / Type de roche	Description (Colour, grain size, texture, minerals, alteration, etc.) / Description (Couleur, granulométrie, texture, minéraux, transformation, etc.)	Planar Feature Angle*/Angle des caractéristiques planes	Core Specimen Footage †/Longueur en pieds des carottes prélevées	Your Sample No. / N° d'échantillon du prospecteur	Sample Footage/Niveau de prélèvement de l'échantillon (en pieds) From/De	To/À	Sample Length / Longueur de l'échantillon	Assays †/Analyses minéralurgiques
0'	40'	TUFF	FINE TO MEDIUM GRAINED, DARK GREY-GREEN, FRACTURED MUCH EPIDOTE AND HEMATITE THROUGHOUT UNIT. BEDDING(?) - STRAIN FABRIC(?) VARIABLE FROM 46° TO 53° TO CORE ANGLE. FINE GRAINED PYRITE FROM 1% TO 3% THROUGHOUT. SOME ODD CHIPY, ODD LIGHTLY MAGNETIC REMNANT CLAST. HARDNESS GENERALLY BETWEEN NAIL AND KNIFE BLADE NUMEROUS RED HEMATITE STRINGERS CUTTING ACROSS GRAIN AT ROUGHLY 25°, 30° AND 90°. MANY 1/8" TO 3/16" CALCITE (GASH) STRINGERS AT SAME ANGLE. IRREGULAR UNCHILLED CONTACT AT APPROX 40° TOCA.							
40'	64'	FELDSPAR PORPHYRY	REDDISH BIMODAL FELDSPAR PORPHYRY, LARGER 4-5mm FELDSPARS TO ABOUT 5%, SMALLER 2-3mm FELDSPARS TO 30%. UNIT VARIABLY HEMATIZED THROUGHOUT, LIGHTLY MAGNETIC THROUGHOUT. 3" AND 5" MAFIC XENOLITHS AT 43' AND 46' RESPECTIVELY, NUMEROUS 1/8" CROSS CUTTING QZ-CALCITE VEINLETS AT ABOUT 22° AND 30° CONTACTS OF VEINLETS HEMATIZED TO 1/8" ON BOTH SIDES. NUMEROUS							

030

42A01SE2017 2.25742 OTTO

0204 (03/91)

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.
*Exemples de caractéristiques : foliation, schistosité, stratification. L'angle est mesuré par rapport à l'axe longitudinal de la carotte.

† Additional credit available. See Assessment Work Regulation.
† Des crédits supplémentaires sont offerts. Consulter les règlements relatifs aux travaux d'évaluation.
Nota : Dans cette formule, lorsqu'il désigne des personnes, le masculin est utilisé au sens neutre.

Ministry of Northern Development and Mines
Ontario

Ministère du Développement du Nord et des Mines

Diamond Drilling Log

Journal de forage au diamant

Complete this form and related sketch in duplicate.

Remplir en deux exemplaires la présente formule et le croquis annexé

Fill in on every page

Remplir ces cases à chaque page

Hole No. / Forage n° : ODH-2A

Page No. / Page n° : 2

Footage/Avancement From/De	Footage/Avancement To/À	Rock Type / Type de roche	Description (Colour, grain size, texture, minerals, alteration, etc.) / Description (Couleur, granulométrie, texture, minéraux, transformation, etc.)	Planar Feature Angle*/Angle des caractéristiques planes	Core Specimen Footage †/Longueur en pieds des carottes prélevées	Your Sample No. / N° d'échantillon du prospecteur	Sample Footage/Niveau de prélèvement de l'échantillon (en pieds) From/De	Sample Footage/Niveau de prélèvement de l'échantillon (en pieds) To/À	Sample Length / Longueur de l'échantillon	Assays †/Analyses minéralurgiques
			LARGER QZ CALCITE VEINS MOST NOTABLY AT;							
		58'	½' GLASSY REFRACTURED QUARTZ VEIN AT 18° TO CA. CONTACTS							
			HEMATIZED, ODD CLUMPY CHPY. NOTE THAT							
			UNIT ALSO DISPLAYS SMALL-FRACTURE CONTROLLED							
			HEMITIZATION. AND PYRITIZATION							
64'	68'	MIXED ZONE	FRACTURED AND SOMEWHAT PYRITIZED UNIT OF							
			MIXED TUFF AND PORPHYRY WITH COARSE							
			BRECCIA APPEARANCE SEVERAL HEMATIZED							
			CROSS FRACTURES AT 30° TO CA.							
		VEINLET	65' ¼" BANDED QZ CALCITE VEIN AT 30°							
			TO CA, SCANT PYRITE							
		VEINLET	67' ⅜" REFRACTURED WHITISH QZ VEIN AT							
			30° TO CA, ODD PYRITE, SMALL AGGREGATES							
			OF FINE GRAINED MOLEBDENITE, NOTICIBLE							
			HEMITIZATION OF CONTACTS							
68'	72'	TUFF	AS ABOVE TUFFS BUT SLIGHTLY MORE ALTERED							
			APPEARANCE NUMEROUS FRACTURES WITH + WITHOUT							
			QZ CALCITE STRINGER SHOWING HEMITIZATION TO							
			¼" INTO CONTACTS AT 30° TO CA. DIFFERENT							
			FRACTURE ORIENTATION APPEARS IN THIS AREA							
			AT 120° TO CA, AGAIN FRACTURE CONTROLLED							
			HEMITIZATION ASSOCIATED WITH THIS ORIENTATION							
	72'		EOH							

0204 (03/91)

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.

*Exemples de caractéristiques : foliation, schistosité, stratification. L'angle est mesuré par rapport à l'axe longitudinal de la carotte.

† Additional credit available. See Assessment Work Regulation.

† Des crédits supplémentaires sont offerts. Consulter les règlements relatifs aux travaux d'évaluation.

ONTARIO

MINISTRY OF NORTHERN DEVELOPMENT AND MINES

Work Report Summary

Transaction No: W0380.00934 **Status:** APPROVED

Recording Date: 2003-JUN-02 **Work Done from:** 2002-MAY-24

Approval Date: 2003-JUN-06 **to:** 2002-JUN-25

Client(s):

164694 MARION, ERIC JOSEPH

Survey Type(s):

PDRILL

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
L 1239345	$0	$0	$2,800	$2,800	$0	0	$0	$0	2004-JUN-02
L 1239346	$4,507	$4,507	$894	$894	$2,800	2,800	$813	$813	2004-JUN-12
	$4,507	$4,507	$3,694	$3,694	$2,800	$2,800	$813	$813	

External Credits: $0

Reserve:

$813 Reserve of Work Report#: W0380.00934

$813 Total Remaining

Status of claim is based on information currently on record.



42A01SE2017 2.25742 OTTO

900

Ministry of
Northern Development
and Mines

Ministère du
Développement du Nord
et des Mines

Ontario

GEOSCIENCE ASSESSMENT OFFICE
933 RAMSEY LAKE ROAD, 6th FLOOR
SUDBURY, ONTARIO
P3E 6B5

Tel: (888) 415-9845
Fax:(877) 670-1555

Date: 2003-JUN-09

ERIC JOSEPH MARION
126 DUNCAN AVENUE
KIRKLAND LAKE, ONTARIO
P2N 1Y5 CANADA

Submission Number: 2.25742
Transaction Number(s): W0380.00934

Dear Sir or Madam

Subject: Approval of Assessment Work

We have approved your Assessment Work Submission with the above noted Transaction Number(s). The attached Work Report Summary indicates the results of the approval.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

If you have any question regarding this correspondence, please contact STEVEN BENETEAU by email at steve.beneteau@ndm.gov.on.ca or by phone at (705) 670-5855.

Yours Sincerely,

Ron Gashinski
Senior Manager, Mining Lands Section


Cc: Resident Geologist

Eric Joseph Marion
(Claim Holder)

Assessment File Library

Eric Joseph Marion
(Assessment Office)

42A01SE2017 2.25742 OTTO 200



UTM Zone 17
5000m grid

ONTARIO CANADA
MINISTRY OF NORTHERN DEVELOPMENT AND MINES
PROVINCIAL MINING RECORDER'S OFFICE

Mining Land Tenure Map

Date / Time of Issue: Mon Jun 09 09:02:47 EDT 2003

TOWNSHIP / AREA
OTTO

PLAN
M-0379

ADMINISTRATIVE DISTRICTS / DIVISIONS

Mining Division	Larder Lake
Land Titles/Registry Division	TIMISKAMING
Ministry of Natural Resources District	KIRKLAND LAKE

TOPOGRAPHIC

- Administrative Boundaries
- Township
- Concession, Lot
- Provincial Park
- Indian Reserve
- Cliff, Pit & Pile
- Contour
- Mine Shafts
- Mine Headframe
- Railway
- Road
- Trail
- Natural Gas Pipeline
- Utilities
- Tower

Land Tenure

Freehold Patent
- Surface And Mining Rights
- Surface Rights Only
- Mining Rights Only

Leasehold Patent
- Surface And Mining Rights
- Surface Rights Only
- Mining Rights Only

Licence of Occupation
- Uses Not Specified
- Surface And Mining Rights
- Surface Rights Only
- Mining Rights Only
- Land Use Permit
- Order In Council (Not open for staking)
- Water Power Lease Agreement
- Mining Claim (1234567)
- Filed Only Mining Claims (1234567)

LAND TENURE WITHDRAWALS

1234 Areas Withdrawn from Disposition

Mining Acts Withdrawal Types
- Wsm Surface And Mining Rights Withdrawn
- Ws Surface Rights Only Withdrawn
- Wm Mining Rights Only Withdrawn

Order In Council Withdrawal Types
- W'sm Surface And Mining Rights Withdrawn
- W's Surface Rights Only Withdrawn
- W'm Mining Rights Only Withdrawn

Nts IMPORTANT NOTICE

Scale 1:40000
700m 0m 2.1km

LAND TENURE WITHDRAWAL DESCRIPTIONS

Identifier	Type	Date	Description
4033	Wm	Apr 18, 2001	SEC. 43/70 184/73 M.R.O. 58999
4034	Wsm	Jan 1, 2001	PENDING APPLICATION UNDER PUBLIC LANDS ACT (SURFACE I
4037	Wsm	Jan 1, 2001	400 FT SURFACE RIGHTS RESERVATION ALONG THE SHORES (
P.PLA	Ws	Jan 23, 2002	Pending Application Sec. 30(b) and 28(2). Surface Rights Only.
W14/85	Ws	Apr 7, 1985	SEC 36/80 W14/85 7/4/85 S.R.O.

2.25742
PDRILL

Those wishing to stake mining claims should consult with the Provincial Mining Recorders' Office of the Ministry of Northern Development and Mines for additional information on the status of the lands shown hereon. This map is not intended for navigational, survey, or land title determination purposes as the information shown on this map is compiled from various sources. Completeness and accuracy are not guaranteed. Additional information may also be obtained through the local Land Titles or Registry Office, or the Ministry of Natural Resources.

The information shown is derived from digital data available in the Provincial Mining Recorders' Office at the time of downloading from the Ministry of Northern Development and Mines web site.

General Information and Limitations

Contact Information:
Provincial Mining Recorders' Office
Willet Green Miller Centre 933 Ramsey Lake Road
Sudbury ON P3E 6B5
Home Page: www.mndm.gov.on.ca/MNDM/MINES/LANDS/miemnpge.htm


Toll Free
Tel: 1 (888) 415-9845 ext 5716
Fax: 1 (877) 670-1444

Map Datum: NAD 83
Projection: UTM (6 degree)
Topographic Data Source: Land Information Ontario
Mining Land Tenure Source: Provincial Mining Recorders' Office

This map may not show unregistered land tenure and interests in land including certain patents, leases, easements, right of ways, flooding rights, licences, or other forms of disposition of rights and interest from the Crown. Also certain land tenure and land uses that restrict or prohibit free entry to stake mining claims may not be illustrated.

2.25742

DRILL HOLE SECTION · FACING WEST



1 INCH = 10 FEET
1 : 120

TUFF

FELDSPAR PORPHYRY

VEIN / CHERTY I.F.

Figure 6

42A01SE2017 2.25742 OTTO 210