

PLINKY PROPERTY

WEST GROUP
EBY TOWNSHIP
NTS 42 A/1
80°10′W 48°04′N

Prepared By: Eric Marion





42A01SE2018 2.26149 EBY

DAVE WORKEL

DRILLING AND RELATED

EDH3

SEPT 5, 2002 9h
SEPT 6, 2002 8½h
SEPT 7, 2002 9½h
SEPT 9, 2002 11h
SEPT 10, 2002 8h
SEPT 11, 2002 8h
SEPT 12, 2002 9h

EDH-6

SEPT 13, 2002 7h
SEPT 14, 2002 5h
SEPT 16, 2002 8h
SEPT 18, 2002 9h
SEPT 19, 2002 7½h
SEPT 20, 2002 9h
SEPT 21, 2002 8h
SEPT 23, 2002 8h
SEPT 24, 2002 9h
SEPT 25, 2002 8½h
SEPT 27, 2002 1 day - LOG BOTH HOLES
SEPT 28, 2002 - MOVE OUT

Eric Mainville

Aug 26/03

INDEX

Property Location.....3

Access.....3

Claims.....3

General Geology.....3

Claim Geology.....5

Previous Work.....5

Present Work / Recommendations.....9

Results / Conclusions.....9

Drill Hole Logs: EDH-5.....10

EDH-6.....11,12

FIGURES

Fig -1 Location.....1

Fig -2 Claim Map.....2

Fig - 3 General Geology.....4

Fig - 4 Claim Geology 6

Fig - 5 Drill Holes Section.....7

Fig - 6 Drill Holes Location.....8

Assay Sheets : EDH-**1**,**2**,**3**,**&4**.....appended A to I

Days Worked.....i





Figure-1 - Location



Current Te :

Figure-2 Claim Map

PROPERTY LOCATION

The property is located in the Larder Lake mining division approximately 12 kilometers south-west of Kirkland Lake. The claim group sits midway in the eastern end of the township, and abutts to the N/S Eby-Otto Twp. line in Eby Township. This area is in the Kirkland Lake Geologist District and can be found on NTS-42 A/1 with the geographic center being at approximately 80°10'W and 48°04'N.

ACCESS

Heading south on Hwy.#11 from the intersection of Hwy.#66 and the trans-Canada Hwy.#11 at Kenogami for 4 kilometers will bring you to the approximate geographic center of the group. The many small hunting roads hydro transmission lines and gas pipelines give improved access to many areas.


CLAIMS

This property consists of eight contiguous staked mining claim blocks totalling 29 claim units recorded on Plan M-345 of Eby Township, which is a subdivided township. The claims and descriptions are as follows:

CL#1239356— Lot 2, Con.3 N1/2. + Lot 2, Con.4 S1/2-SE1/4
CL#1239348— Lot 3, Con.5 N1/2{no SW1/4} + Lot 3,Con.5 N1/2 of S1/2
+ Lot 2, Con.5 S1/2-NW1/4
CL#1239349— Lot 2, Con.5 S1/2 of S1/2
CL#1239350— Lot 1, Con.4 N1/2-NW1/4
CL#123935. — Lot 1, Con.5 E1/2 of S1/2
CL#1239352— Lot 3, Con.4 N1/2(no SW1/4) + Lot 2, Con.4 N1/2-SW1/4
CL#1239353— Lot 1, Con.4 N1/2-SW1/4 + Lot 2, Con.4 N1/2-SE1/4
+ Lot 2, Con.4 S1/2-NE1/4
CL#1239354— Lot 3, Con.4 S1/2 + Lot 2, Con.4 W1/2 of S1/2

GENERAL GEOLOGY

This area lies within the Abitibi Greenstone Belt , a region of predominantly volcanic rocks and related interflow sediments at the south-central region of the Superior Province. Several eras of intrusion and deformation have affected most of the lithologies present. Major-structural deformation zones, (locally the Larder-Cadillac Deformation Zone), parallel each other east to west across the belt and seem to have acted as a control over gold deposition. The Abitibi Belt is host to many large gold (and base metal) deposits on both the Ontario and Quebec sides of the border along these structural trends, and has an exploration history going back well into the 1800's. A band of altered mainly fluvial sediments, folded and upturned to a near vertical position, coincide with the main trend of this structure less than eight hundred meters to the north of the claim group. The Round Lake Batholith, a large Archaen aged granitic intrusive occurs about 2.5 kilometers to the south.



LEGEND

Proterozoic

Keeweenawan diabase (not shown)

12 Cobalt Group

Archean

Matachewan diabase (not shown)

Granitic rocks

11 Granodiorite, monzonite, quartz monzonite, syenite

10 Massive to gneissic quartz diorite, tonalite, trondhjemite

Upper Supergroup

9 9a* Timiskaming Group, 9b** Destor-Porcupine Complex

8 8a, 8n, Blake River Group, 8c*** Blake River (Upper Fm., Tisdale Group)

7 7a, 7b, Kinojevis Group, 7c Kinojevis Group, (Middle Fm., Tisdale Group)

6 6a Larder Lake Group, 6b Stoughton Roquemaure Group, 6c Lower Fm., Tisdale Group

5 5c Porcupine Group

Lower Supergroups

4 4a Skead Group, 4b Hunter Mine Group, 4c Upper Fm., Deloro Group

3 3a Catherine Group, 3c Middle Fm., Deloro Group

2 2a Wabewewa Group, 2c Lower Fm. Deloro Group

1 1a Pacaud tuffs****

*a refers to Kirkland Lake Area, south limb of synclinorium (Jensen 1978c, 1979).
**b refers to Kirkland Lake Area, north limb of synclinorium (Jensen 1976, 1978b).
***c refers to Timmins Area (Pyke, 1380).
**** (Goodwin, 1965).

Figure-3 - General Geology

CLAIM GEOLOGY

The claim group lies along the northwestern contact of the Otto Stock, a syenitic intrusive complex which displays some large scale zoning features. The stock is almost circular with a diameter of about 12 kilometers. The majority of the rock north of the stock would be mafic to intermediate tholeiitic volcanic and interflow sediments with lesser komatiitic flows, previously mapped as Skead Group volcanics. A band of felsic tuffs and agglomerates with some inter-layered chemical sediments and iron formation parallel the contact of the stock and cut across the claim group in an arc .On the southern end of the claims,#3 post region of CL# 1239344, in an old drill hole, an un-sampled 90 meter wide band of amphibolite gneiss (+some altered gabbro) well mineralized with magnetite, pyrrhotite and odd chalcopyrite is logged as occurring between the sediments and the stock. Recent work by the O.G.S and the resident geologist's office, 1700 meters to the north-east of this hole along Hwy. 11, has documented anomalous gold, platinum, palladium and copper values in an amphibolite rock that may be the north-eastern extension of the zone intersected in the drill hole. This feature does not outcrop in the region of the drill hole or along strike on the claims. The western end of the claims(most of CL#1239354) cover a previously mapped gabbroic intrusive which exhibits layering or zoning of fine and coarser grained phases. Some epidote associated with quartz veins and some minor pyrites were noted on an outcrop at what would be the northern end of this unit

Several faults which parallel the Larder-Cadillac Deformation Zone cross the claim group. A fault at the north end of the group has been defined as a splay of the LCDZ, and locally displays deformation, quartz veining and intense carbonate alteration. Flow tops and pillow facings in the area generally face to the northwest on the claim group. Many small syenitic bodies outcrop in the area, some with considerable pyrite mineralization. An interesting area of exposed quartz-chert pebble conglomerate of the Skead Group lies about 200 meters north-west of the #2 post of CL# 1239354. Generally, much chloritization, carbonitization, sulfidization and quartz veining occurs on the claim group.Historic records note gold values on different parts of the area, but field work by the author has failed to positively locate these workings and duplicate the previous assays. Most "pit"-like workings encountered in the general areas of where early prior workings should be were slumped and filled to the point of not being samplable without complete re-digging,(possible next program ?)

PREVIOUS WORK

Core drilling, geophysical surveys, trenching, mapping ,sampling and geological studies have been conducted in the search for gold.There is quite a sizable sum of exploration activity submitted as assessment work for the area surrounding these claims; also a fair amount of prospecting has been done on these claims and indeed there are ongoing programs on contiguous claim areas, but a comprehensive compilation and correlation of this information is beyond the scope and intent of this report. With the exception of the most recent prior claim holders whom defined new features, most of the earlier reported programs were concentrated on previously defined target areas and neglected the intervening areas where poor outcrop exposure hampered prospecting. An extensive study of the available data was undertaken by the author and no doubt will serve as an irreplaceable guide and basis for further exploration in the area.

No.	Date	Proposed/Previous Name	Type of Exploration	Significant Results
(1)	1930-48	Todora Kirkland/ Macassa	geol., 11 ddhs, 121 ft. shaft	Cpy, Mo, Au in qtz., up to 13.39% Cu
(2)	1938	A. Johnson	3 pits	up to 0.1 to 0.3 oz. Au/ton
(3)	1945	Sylvanite	trenches	trace to 0.023 oz. Au/ton
(4)	1955-57	Mr. Ahola	2 shafts, trenches, 1 ddh	up to 0.2 oz. Au/ton in tuff and qtz. veins
(5)	1965-69	M. Fishkin	3 ddhs	cpy + abund. py, cpy in south hole
(6)	1965-66	Keevil	geol., mag, EM, 3 ddhs	8 conductors, iron fm with 15%-80% sulphides 0.005 oz. Au/ton in sludge
(7)	1978-80	P. Harrington	5 ddhs	-
(8)	1980	KLIP	1 OVB hole	3,200 ppb Au in basal till
(9)	1980	Noranda	mag and EM, 1 ddh	3 short, strong conductors, up to 0.016 oz. Au/ton over 1 m
(10)	1980-84	J. Reed	geol., mag, EM, 3 ddhs	0.005 oz. Au/ton in grab, up to 0.01 oz. Au/ton over 1.5 m in core
(11)	1984-86	F. Rivard	trenching, 2 ddhs	up to 0.04 oz. Au/ton in grabs
(12)	1971	T GUTARIE	TRENCHING	UP TO .180Z IN GRABS 1.80% ZN IN GRABS
(13)	1944	A LUMSDEN	SHAFT 40'	SHAFT IN RED PORP. DYKE PINK QZ VEIN AT BOTTOM

LEGEND

PROTEROZOIC

ALKALIC INTRUSIVE ROCKS

7 — 7a Coarse-grained syenite, syenite porphyry, pegmatite. 7b Mafic syenite, syenite contaminated by country rocks. 7c Medium-grained syenite, sanidenites.

INTRUSIVE CONTACT

ARCHEAN

MAFIC INTRUSIVE ROCKS (MATACHEWAN OR NIPISSING)

6 — 6 Diabase.

INTRUSIVE CONTACT

FELSIC INTRUSIVE ROCKS (ALGOMAN)

5 — 5a Granite, porphyritic granite, granodiorite. 5b Granoblastic gneiss. 5c Syenite and trachyte. 5d Mafic syenite and mafic trachyte.

INTRUSIVE CONTACT

EARLY MAFIC AND ULTRAMAFIC ROCKS (HAILEYBURIAN, EARLY ALGOMAN, AND KEEWATIN)

4 — 4a Serpentinite, peridotite. 4b Gabbro, diorite.

INTRUSIVE CONTACT

METASEDIMENTS (TIMISKAMING AND KEEWATIN)

3 — 3a Conglomerate. 3b Quartzite, greywacke. 3c Tuff, agglomerate, minor amounts of trachyte agglomerate, breccia.

UNCONFORMITY AND INTERBEDDING

FELSIC METAVOLCANICS (KEEWATIN)

2 — 2a Rhyolite, dacite. 2b Iron formation, silicic tuff, agglomerate. 2c Dacite porphyry, amygdaloidal and spherulitic dacite.

MAFIC METAVOLCANICS AND METASEDIMENTS

1 — 1 Unsubdivided mafic volcanics. 1a Basalt, andesite. 1b Chlorite mafic tuff, agglomerate. 1c Altered (bleached, carbonatized) volcanic and sedimentary rocks. 1d Amphibolite, garnet-epidote amphibolite, amphibolite gneiss. 1e Andesite porphyry, amygdaloidal and spherulitic dacite. 1g Biotite-garnet-pyroxene amphibolite.

SYMBOLS

- Glacial striae.
- Area of bedrock outcrop.
- Bedding, top unknown: (inclined, vertical).
- Lava flow: top (arrow) from pillows shape and packing.
- Schistosity: (horizontal, inclined, vertical).
- Gneissosity, (horizontal, inclined, vertical).
- Geological boundary, observed.
- Geological boundary, position interpreted.
- Fault: (observed, assumed). Sast indicates down (throw side, arrows indicate horizontal movement.
- Lineament.
- Drag folds with plunge.
- Anticline, syncline, with plunge.
- Drill hole: (vertical, inclined).
- Vein, vein network. Width in inches.
- Shaft: depth in feet.
- Motor road, Provincial highway number encircled where appropriate.
- Other road.
- Trail, portage or winter road.
- Building.

0 1/4 1/2 Mile

0 500 Metres

1 inch = 1/4 mile


FIGURE 4

PROPERTY GEOLOGY AND EXPLORATION

(After OGS Map 2239)

DRILL HOLE SECTION - FACING EAST

EDH-5 & EDH-6



0 5 10 20

1 INCH = 10 FEET
1 : 120

QV - QUARTZ VEIN
FeCa - IRON CARBONATE ALTERATION (INTENSE)

Figure – 5 – Drill Holes Section




Figure – 6 – Drill Holes Location

PRESENT WORK

After the completion of EDH-1 to 4 it was deceided to move along strike of these holes in an attempt to intersect the same lithologies , where work by previous holders defined a possible drill target. The first holes were drilled south in order to try to correlate where stratigraphically the collar location fit in .

RESULTS \ CONCLUSIONS

The first hole ,EDH-5 broke back into overburden before going very deep .This would imply a bedrock trough immediately south of the drill collars.This hole had many problems with the walls of the hole caving in and when re-entering till material, was stopped.

The second hole, EDH-6 went to a depth of 53 feet. The rock in this hole correlates well with the rock encountered in EDH-1 . It remains to be seen how far north from this location the altered\faulted contact with the overlying unit cut in EDH-3 is from here. This will be the target of the next drill hole.

An unexpected feature encountered in this hole is a heavy sericitic alteration with much cherty-looking cross-cutting quartz stringers centered around a brecciated\fault? section from 17' to 21'.Fine pyrite in random sprays and odd fine oxidized chpy are visible in and around this section. Sampling will be done to determine the potential of this feature

SAMPLING: EDH-1 to 4 (refer to August 2002 submission)

The sampling done on these holes reveals gold values in glassy quartz veinlets in a rather narrow hematized section (EDH-3 C4) with a possible moly association. If the values are from free gold in the glassy quartz , in looking at EDH-3 C7, it is possible that these are the same generation of veining but missed a piece of free gold.

Swastika Laboratories Ltd

Established 1928

Assaying - Consulting - Representation

Geochemical Analysis Certificate

3W-0324-RG1

Company: **ERIC MARION**

Date: FEB-10-03

Project:

Attn: E. Marion

We hereby certify the following Geochemical Analysis of 4 Sludge samples submitted FEB-03-03 by .

Sample Number	Au PPB	Au Check PPB	Multi Element		
EDH1-S1	Nil	-	Results	[illegible]	[illegible]
EDH1-S2	2	3	to	[illegible]	[illegible]
EDH1-S3	Nil	-	follow	[illegible]	[illegible]
EDH1-S4	Nil	-		[illegible]	[illegible]

Certified by Denis Chamberland

A

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0
Telephone (705) 642-3244 Fax (705) 642-3300

Assayers Canada
8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

ERIC MARION
Attention: E. Marion
Project:
Sample: Sludge

Report No : 3W0324 RJ
Date : Feb-12-03

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
EDH1-S4	<0.2	2.61	<5	70	0.5	<5	4.38	<1	34	72	427	8.40	0.14	2.73	1300	10	0.05	81	400	14	5	17	10	38	0.01	129	160	3	275	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3
at 95c for 2 hours and diluted to 25ml with D.I.H20.

B

Signed:

Swastika Laboratories Ltd

Established 1928

Assaying - Consulting - Representation

Geochemical Analysis Certificate

3W-0325-RG1

Company: **ERIC MARION**

Date: FEB-10-03

Project:

Attn: E. Marion

We hereby certify the following Geochemical Analysis of 1 Sludge samples submitted FEB-03-03 by .

Sample Number	Au PPB	Multi Element
EDH-2 S1	2	Results to follow

Certified by Denis Thomas

C

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0
Telephone (705) 642-3244 Fax (705) 642-3300

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

ERIC MARION

Attention: E. Marion

Project:

Sample: Sludge

Report No : 3W0325 RJ

Date : Feb-12-03

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
EDH-2 S1	<0.2	2.01	<5	410	<0.5	<5	2.73	<1	23	45	864	6.30	0.14	1.89	1000	2	0.02	48	490	12	5	10	<10	33	<0.01	85	200	4	485	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H20.

Signed

Swastika Laboratories Ltd

Established 1928

Assaying - Consulting - Representation

Geochemical Analysis Certificate

3W-0323-RG1

Company: **ERIC MARION**

Date: FEB-10-03

Project:

Attn: E. Marion

We hereby certify the following Geochemical Analysis of 4 Core samples submitted FEB-03-03 by .

Sample Number	Au PPB	Au Check PPB	Wra	Multi Element				
EDH3-C1	31	-	Results	Results	25'6"	TO	29'6"	
EDH3-C2	986	965	to	to	29'6"	TO	35'	
EDH3-C3	81	-	follow	follow	35'	TO	36'6"	
EDH3-C4	3091	3291			78'	TO	81'	

Certified by Denis Chartrand

E

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0
Telephone (705) 642-3244 Fax (705) 642-3300

Swastika Laboratories Ltd

Established 1928

Assaying - Consulting - Representation

Geochemical Analysis Certificate

3W-2051-RG1

Company: **ERIC MARION**

Date: JUN-23-03

Project:

Attn: E. Marion

We hereby certify the following Geochemical Analysis of 4 Core samples submitted JUN-17-03 by .

Sample Number	Au PPB	Au Check PPB	Multi Element	
EDH-3 C5	29	-	Results	59'6" to 61'
EDH-3 C6	33	27	to	63'1" to 65'3"
EDH-3 C7	33	-	follow	69'6" to 70'3"
EDH-3 C8	Nil	-		83'6" to 86'7"

Certified by Denis Charette

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0
Telephone (705) 642-3244 Fax (705) 642-3300

F

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

ERIC MARION
Attention: E. Marion
Project:
Sample: Core

Report No : 3W0323 RL
Date : Feb-14-03

ICP Whole Rock Assay

Lithium Metaborate Fusion

Sample Number	SiO_2 %	Al_2O_3 %	Fe_2O_3 %	CaO %	MgO %	Na_2O %	TiO_2 %	K_2O %	MnO %	P_2O_5 %	LOI %	Ba ppm	Sr ppm	Zr ppm	Sc ppm	Y ppm	Be ppm	Co ppm	Cr ppm	Cu ppm	Ni ppm	V ppm	Zn ppm	Rb ppm	Nb ppm	Total %
EDH3-C1	90.50	1.84	1.70	1.13	0.85	<0.01	0.10	0.48	0.03	0.01	1.79	1150	50	10	5	<5	<5	35	1270	25	30	105	<5	100	10	98.73

Sample is fused with Lithium metaborate and dissolved in dilute HNO3.

Signed

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

ERIC MARION

Attention: E. Marion

Project:

Sample: Core

Report No : 3W0323 RJ

Date : Feb-14-03

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
EDH3-C2	<0.2	0.41	<5	820	<0.5	<5	2.21	<1	19	575	183	1.66	0.17	1.24	500	2	0.01	24	150	8	10	4	<10	71	<0.01	36	<10	2	12	2
EDH3-C3	<0.2	0.34	<5	150	<0.5	<5	2.37	<1	55	364	63	2.21	0.11	1.07	400	4	0.01	55	180	8	5	4	<10	23	<0.01	30	<10	2	21	2
EDH3-C4	<0.2	1.29	<5	160	<0.5	<5	4.24	<1	18	194	59	4.97	0.11	1.64	1490	30	0.08	26	750	8	5	9	<10	93	0.01	72	<10	3	46	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D I H20.

Signed

Assayers Canada
8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

ERIC MARION
Attention: E. Marion
Project:
Sample: Core

Report No : 3W2051 RJ
Date : Jul-15-03

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
EDH-3 C5	<0.2	1.98	<5	90	<0.5	<5	4.78	<1	27	91	185	7.08	0.07	3.53	1725	4	0.03	42	370	8	5	19	<10	69	0.02	150	<10	3	70	5
EDH-3 C6	0.2	1.65	<5	110	<0.5	<5	5.01	<1	29	63	82	8.19	0.07	2.39	2145	4	0.04	12	950	18	5	18	<10	104	0.01	137	<10	5	64	9
EDH-3 C7	<0.2	2.75	<5	150	<0.5	<5	5.33	<1	30	202	247	7.70	0.08	2.15	1370	252	0.03	37	420	6	<5	16	<10	236	0.01	187	<10	4	93	6
EDH-3 C8	<0.2	2.90	<5	410	<0.5	<5	8.18	<1	29	70	79	6.67	0.05	2.39	1500	4	0.02	50	410	6	5	17	<10	242	0.01	158	<10	3	102	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H20.

Signed:

Ontario and Mines / et des Mines

Drilling Log / forage au diamant

Fill in on every page / Remplir ces cases à chaque page

Hole No. / Forage n° EDH-5

Page No. / Page n° 1

Drilling Company / Compagnie de forage: ERIC MARION	Collar Elevation / Élévation du collier	Bearing of hole from true North/Position du forage par rapport au nord vrai: 173° Azt.	Total Footage / Avancement total du forage	Dip of Hole at / Inclinaison du forage au: Collar/collier -30°	Address/Location where core stored / Adresse/endroit où la carotte est stockée: 126 DUNCAN AVE
Date Hole Started / Date de commencement du forage: SEPT 7, 2002	Date Completed / Date d'achèvement: SEPT 12, 2002	Date Logged / Date d'inscription au journal: SEPT 27/02	Logged by / Inscrit par: ERIC MARION	Ft./Pi	
Exploration Co., Owner or Optionee / Compagnie d'exploration, propriétaire ou titulaire d'option: ERIC MARION		Date Submitted / Date de dépôt: Aug 26/2003	Submitted by (Signature) / Déposé par (signature)	Ft./Pi	
				Ft./Pi	
				Ft./Pi	

Related sketch in duplicate. / Remplir en deux exemplaires la présente formule et le croquis annexé

Map Reference No. / N° de référence sur la carte: NTS 42 A/1

Claim No. / N° de concession minière: 1239348

Location (Twp. Lot, Con. or Lat. and Long.) / Emplacement (canton, lot, concession, ou latitude et longitude): EBY TWP LOT 2, CONSESSION 5, S½ NW

Property Name / Nom de la propriété: PLINKY PROPERTY

Footage/Avancement From/De	To/À	Rock Type / Type de roche	Description (Colour, grain size, texture, minerals, alteration, etc.) / Description (Couleur, granulométrie, texture, minéraux, transformation, etc.)	Planar Feature Angle*/Angle des caractéristiques planes	Core Specimen Footage †/Longueur en pieds des carottes prélevées	Your Sample No. / N° d'échantillon du prospecteur	Sample Footage/Niveau de prélèvement de l'échantillon (en pieds) From/De	To/À	Sample Length / Longueur de l'échantillon	Assays †/Analyses minéralurgiques
0	12	MAFIC VOLCANICS	HEAVILY ALTERED CREAMY GREEN ½ TO 2 mm GRAIN SIZE MAFIC VOLCANIC ROCK MANY CROSS CUTTING CHERTY APPEARING QZ VEINS AT 35° TO 45° TO C.A. FROM 8' TO 12' HEAVY FeCa ALTERATION AS RUSTY PATCHES AND HOLES IN WEATHERED ROCK BREAK OUT OF BEDROCK AT 12'							
12	16	OVERBURDEN	AND CONTINUE TO 16' IN SAND AND COBBLES							
			17" - 21" MILKY BRECCIATED QZ CALCITE VEIN AT 45° TO CA SCANT PYRITE							

42A01SE2018 2.26149 EBY 020

0204 (03/91)

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.
*Exemples de caractéristiques : foliation, schistosité, stratification. L'angle est mesuré par rapport à l'axe longitudinal de la carotte.

† Additional credit available. See Assessment Work Regulation.
† Des crédits supplémentaires sont offerts. Consulter les règlements relatifs aux travaux d'évaluation.
Nota : Dans cette formule, lorsqu'il désigne des personnes, le masculin est utilisé au sens neutre.

Ministry of Northern Development and Mines
Ontario

Ministère du Développement du Nord et des Mines

Diamond Drilling Log

Journal de forage au diamant

Complete this form and related sketch in duplicate.
Remplir en deux exemplaires la présente formule et le croquis annexé

Fill in on every page
Remplir ces cases à chaque page

Hole No. / Forage n° : EDH-6
Page No. / Page n° : 1

Drilling Company / Compagnie de forage: ERIC MARION		Collar Elevation / Élévation du collier	Bearing of hole from true North/Position du forage par rapport au nord vrai: 178° Azt.	Total Footage / Avancement total du forage	Dip of Hole at / Inclinaison du forage au: Collar/collier -40°	Address/Location where core stored / Adresse/endroit où la carotte est stockée: 126 DUNCAN AVE	Map Reference No. / N° de référence sur la carte: NTS 42A/1
Date Hole Started / Date de commencement du forage: SEPT 13, 2002	Date Completed / Date d'achèvement: SEPT 25/2002	Date Logged / Date d'inscription au journal: SEPT 27/2002	Logged by / Inscrit par: ERIC MARION		Ft./Pi		Claim No. / N° de concession minière: 1239348
Exploration Co., Owner or Optionee / Compagnie d'exploration, propriétaire ou titulaire d'option: ERIC MARION		Date Submitted / Date de dépôt: A4626/2003	Submitted by (Signature) / Déposé par (signature)		Ft./Pi		Location (Twp. Lot, Con. or Lat. and Long.) / Emplacement (canton, lot, concession, ou latitude et longitude): EBY TWP LOT 2, CONSESSION 5, S½, NW¼
					Ft./Pi		Property Name / Nom de la propriété: PLINKY PROPERTY

Footage/Avancement From/De	To/À	Rock Type / Type de roche	Description (Colour, grain size, texture, minerals, alteration, etc.) / Description (Couleur, granulométrie, texture, minéraux, transformation, etc.)	Planar Feature Angle*/Angle des caractéristiques planes	Core Specimen Footage †/Longueur en pieds des carottes prélevées	Your Sample No. / N° d'échantillon du prospecteur	Sample Footage/Niveau de prélèvement de l'échantillon (en pieds) From/De	To/À	Sample Length / Longueur de l'échantillon	Assays †/Analyses minéralurgiques		
0	53	MAFIC VOLCANICS	HEAVILY ALTERED CREAMY GREEN TO GREY			EDH6-51	0	15	SLUDGE			
			MASSIVE TO BRECCIATED ½ TO 2mm GRAINED			EDH6-52	16	35	SLUDGE			
			MANY CROSSCUTTING QZ + CALCITE STRINGERS			EDH6-53	36	53	SLUDGE			
			AT DOMINANTLY 45°-55° TO C.A.									
		8'-12'	HEAVY FeC_3 ALTERATION AS RUST PATCHES AND									
			VOIDS IN WEATHERED ROCK.									
		15'-19'	YELLOW SERICITIC ALTERATION INCREASING IN									
			INTENSITY TO 20' WHICH COINCIDES WITH MULTIPLE									
			CROSS CUTTING VEINS AT 20', FINE GRAIN PYRITE									
			AND ODD CHPY FROM 19 TO 20' IN SMALL MASSES									
			AND SPRAYS. PINKISH FELDSPATHIC MASSES 18' TO 19'									
		19-22½	BEIGE-WHITE SERICITE DOMINATES ON THIS SIDE									
			OF FAULT LESSENING DOWN HOLE, CARBONATE AND	LIGHT								
			SERICITE ALTERATION PERSISTS DOWN HOLE									
		25' - EOH	GREYER, COARSER, 2-4% PY IN BRECCIATED APPEARING									
			ROCK - SERICITE REPLACEMENT OF CERTAIN BRECCIA									
			FRAGMENTS TO END OF HOLE									
			17' TO 21' - MOST HEAVILY VEINED, PYRITIZED,									
			AND SERICITIZED SECTION.									

42A01SE2018 2.26149 EBY

030

0204 (03/91)

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.
*Exemples de caractéristiques : foliation, schistosité, stratification. L'angle est mesuré par rapport à l'axe longitudinal de la carotte.

† Additional credit available. See Assessment Work Regulation.
† Des crédits supplémentaires sont offerts. Consulter les règlements relatifs aux travaux d'évaluation
Nota : Dans cette formule, lorsqu'il désigne des personnes, le masculin est utilisé au sens neutre.

Ministry of Northern Development and Mines
Ontario

Ministère du Développement du Nord et des Mines

Diamond Drilling Log / Journal de forage au diamant

Complete this form and related sketch in duplicate.
Remplir en deux exemplaires la présente formule et le croquis annexé

Fill in on every page
Remplir ces cases à chaque page

Hole No. / Forage n° EDH-6

Page No. / Page n° 2

Footage/Avancement From/De	Footage/Avancement To/À	Rock Type / Type de roche	Description (Colour, grain size, texture, minerals, alteration, etc.) / Description (Couleur, granulométrie, texture, minéraux, transformation, etc.)	Planar Feature Angle*/Angle des caractéristiques planes	Core Specimen Footage † / Longueur en pieds des carottes prélevées	Your Sample No. / N° d'échantillon du prospecteur	Sample Footage/Niveau de prélèvement de l'échantillon (en pieds) From/De	Sample Footage To/À	Sample Length / Longueur de l'échantillon	Assays †/Analyses minéralurgiques
		7' TO 7'7"	7" QZ CALCITE VEIN AT 35° TO CA ODD CHPY. BRECCIATED + HEALED BY ½" TO 1" GLASSY QZ.							
		14' TO 14'2"	CHERTY QZ VEIN AT 45° TO C.A. WALLROCK FRAGMENTS INCLUDED							
		20'4" TO 20'6"	6" CHERTY QZ VEIN AT 65° TO CA							
		24' TO 25'	MILKY QZ CALCITE VEIN, BRECCIATED, SERICITIC AT 45° TO CA. FINE PYRITE + ODD CHPY							
		34' TO 34'4"	SET OF 4 ⅛ QZ VEINLETS WITH BLEACHED WALLROCK CONTACTS, AT 60° TO C.A.							
	53'		EOH							

0204 (03/91)

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.
*Exemples de caractéristiques : foliation, schistosité, stratification. L'angle est mesuré par rapport à l'axe longitudinal de la carotte.

† Additional credit available. See Assessment Work Regulation.
† Des crédits supplémentaires sont offerts. Consulter les règlements relatifs aux travaux d'évaluation.
Nota : Dans cette formule, lorsqu'il désigne des personnes, le masculin est utilisé au sens neutre.

Work Report Summary

Transaction No: W0380.01315 **Status:** APPROVED (D)
Recording Date: 2003-AUG-26 **Work Done from:** 2002-JUN-01
Approval Date: 2003-NOV-24 **to:** 2003-AUG-26

Client(s):

164694 MARION, ERIC JOSEPH

Survey Type(s):

PDRILL

Work Report Details:


Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
L 1239348	$7,180	$7,180	$0	$0	$2,800	2,800	$4,380	$4,380	2004-JUL-18
L 1239352	$0	$0	$1,600	$1,600	$0	0	$0	$0	2004-SEP-05
L 1239353	$0	$0	$1,200	$1,200	$0	0	$0	$0	2004-AUG-30
	$7,180	$7,180	$2,800	$2,800	$2,800	$2,800	$4,380	$4,380	

External Credits: $0

Reserve:

$4,380	Reserve of Work Report#: W0380.01315
($2,400)	Applied by W0380.01529 2003-SEP-25
$1,980	Total Remaining

Status of claim is based on information currently on record.



42A01SE2018 2.26149 EBY 900

Ministry of
Northern Development
and Mines

Ministère du
Développement du Nord
et des Mines

Ontario

GEOSCIENCE ASSESSMENT OFFICE
933 RAMSEY LAKE ROAD, 6th FLOOR
SUDBURY, ONTARIO
P3E 6B5

Tel: (888) 415-9845
Fax:(877) 670-1555

Date: 2003-NOV-26

ERIC JOSEPH MARION
126 DUNCAN AVENUE
KIRKLAND LAKE, ONTARIO
P2N 1Y5 CANADA

Submission Number: 2.26149
Transaction Number(s): W0380.01315

Dear Sir or Madam

Subject: Deemed Approval of Assessment Work

We have approved your Assessment Work Submission with the above noted Transaction Number(s) as per 6(7) of the Assessment Work Regulation. Only eligible assessment work is deemed approved for assessment work credit. The attached Work Report Summary indicates the results of the approval.

NOTE: The report has not been reviewed for technical deficiencies and reported expenses were not evaluated based on the Industry Standard.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

If you have any question regarding this correspondence, please contact BRUCE GATES by email at bruce.gates@ndm.gov.on.ca or by phone at (705) 670-5856.

Yours Sincerely,

Ron C Gashinski.

Ron C. Gashinski
Senior Manager, Mining Lands Section

Cc: Resident Geologist

Eric Joseph Marion
(Claim Holder)

Assessment File Library

Eric Joseph Marion
(Assessment Office)

42A01SE2018 2.26149 EBY 200

ONTARIO CANADA

MINISTRY OF NORTHERN DEVELOPMENT AND MINES

PROVINCIAL MINING RECORDER'S OFFICE

Mining Land Tenure Map


Date / Time of Issue: Wed Nov 26 15:28:30 EST 2003

TOWNSHIP / AREA **EBY**

PLAN **M-0345**


ADMINISTRATIVE DISTRICTS / DIVISIONS

Mining Division	Larder Lake
Land Titles/Registry Division	TIMISKAMING
Ministry of Natural Resources District	KIRKLAND LAKE



TOPOGRAPHIC

- Administrative Boundaries
- Township
- Concession, Lot
- Provincial Park
- Indian Reserve
- Cliff, Pit & Pile
- Contour
- Mine Shafts
- Mine Headframe
- Railway
- Road
- Trail
- Natural Gas Pipeline
- Utilities
- Tower



Land Tenure

Freehold Patent

- Surface And Mining Rights
- Surface Rights Only
- Mining Rights Only

Leasehold Patent

- Surface And Mining Rights
- Surface Rights Only
- Mining Rights Only

Licence of Occupation

- Uses Not Specified
- Surface And Mining Rights
- Surface Rights Only
- Mining Rights Only
- Land Use Permit
- Order In Council (Not open for staking)
- Water Power Lease Agreement

1234567 Mining Claim

1234567 Filed Only Mining Claims

LAND TENURE WITHDRAWALS

1234 Areas Withdrawn from Disposition

Mining Acts Withdrawal Types

- Wsm Surface And Mining Rights Withdrawn
- Ws Surface Rights Only Withdrawn
- Wm Mining Rights Only Withdrawn

Order In Council Withdrawal Types

- W*sm Surface And Mining Rights Withdrawn
- W*s Surface Rights Only Withdrawn
- W*m Mining Rights Only Withdrawn

Ns IMPORTANT NOTICES

Scale 1:61323

1km 0km 3km

Those wishing to stake mining claims should consult with the Provincial Mining Recorders' Office of the Ministry of Northern Development and Mines for additional information on the status of the lands shown hereon. This map is not intended for navigational, survey, or land title determination purposes as the information shown on this map is compiled from various sources. Completeness and accuracy are not guaranteed. Additional information may also be obtained through the local Land Titles or Registry Office, or the Ministry of Natural Resources.

The information shown is derived from digital data available in the Provincial Mining Recorders' Office at the time of downloading from the Ministry of Northern Development and Mines web site.

General Information and Limitations

Contact Information:
Provincial Mining Recorders' Office
Willet Green Miller Centre 933 Ramsey Lake Road
Sudbury ON P3E 6B5
Home Page: www.mndm.gov.on.ca/MNDM/MINES/LANDS/mlsmnpge.htm

Toll Free
Tel: 1 (888) 415-9845 ext 57
Fax: 1 (877) 670-1444

Map Datum: NAD 83
Projection: UTM (6 degree)
Topographic Data Source: Land Information Ontario
Mining Land Tenure Source: Provincial Mining Recorders' Office

This map may not show unregistered land tenure and interests in land including certain patents, leases, easements, right of ways, flooding rights, licences, or other forms of disposition of rights and interest from the Crown. Also certain land tenure and land uses that restrict or prohibit free entry to stake mining claims may not be illustrated.

2.2614[illegible]
PDRILL
ASSAY