PLINKY PROPERTY

WEST GROUP
EBY TOWNSHIP
NTS 42 A/1
80°10'W 48°04'N

RECEIVED
JUL 2 0 2004
GEOSCIENCE ASSESSMENT
OFFICE

Prepared By: Eric Marion

42A01SE2023 2.28124 EBY 010

INDEX

Property Location.....3

Access 3

Claims.....3

General Geology.....3

Claim Geology.....5

Previous Work.....5

Present Work.....9

Result/Conclusions.....9

Drill Hole Logs: EDH-7.....12 , 13

EDH-8.....14

EDH-9.....15 , 16

FIGURES

Fig - 1 Location.....1

Fig - 2 Claim Map.....2

Fig - 3 General Geology.....4

Fig - 4 Claim Geology.....6


Fig - 5 Drill Holes Location.....7

Fig - 6 Drill Hole Section EDH -7.....8

Fig - 7 Drill Hole Section EDH -8.....10

Fig - 8 Drill Hole Section EDH –9.....11

KIRKLAND LAKE RESIDENT GEOLOGIST'S'S DISTRICT







Figure-1 - Location

EBY TOWNSHIP PLAN M- 0345



UTM Zone 17
1000m grid

2

EBY TWP. Plan M-0345

PROPERTY LOCATION

The property is located in the Larder Lake mining division approximately 12 kilometers south-west of Kirkland Lake. The claim group sits midway in the eastern end of the township, and abutts to the N/S Eby-Otto Twp. line in Eby Township. This area is in the Kirkland Lake Geologist District and can be found on NTS-42 A/1 with the geographic center being at approximately 80°10'W and 48°04'N.

ACCESS

Heading south on Hwy.#11 from the intersection of Hwy.#66 and the trans-Canada Hwy.#11 at Kenogami for 4 kilometers will bring you to the approximate geographic center of the group. The many small hunting roads hydro transmission lines and gas pipelines give improved access to many areas.


CLAIMS

This property consists of eight contiguous staked mining claim blocks totalling 29 claim units recorded on Plan M-345 of Eby Township, which is a subdivided township. The claims and descriptions are as follows:

CL#1239356— Lot 2, Con.3 N1/2. + Lot 2, Con.4 S1/2-SE1/4
CL#1239348— Lot 3, Con.5 N1/2{no SW1/4} + Lot 3,Con.5 N1/2 of S1/2
+ Lot 2, Con.5 S1/2-NW1/4
CL#1239349— Lot 2, Con.5 S1/2 of S1/2
CL#1239350— Lot 1, Con.4 N1/2-NW1/4
CL#123935 . — Lot 1, Con.5 E1/2 of S1/2
CL#1239352— Lot 3, Con.4 N1/2(no SW1/4) + Lot 2, Con.4 N1/2-SW1/4
CL#1239353— Lot 1, Con.4 N1/2-SW1/4 + Lot 2, Con.4 N1/2-SE1/4
+ Lot 2, Con.4 S1/2-NE1/4
CL#1239354— Lot 3, Con.4 S1/2 + Lot 2, Con.4 W1/2 of S1/2

GENERAL GEOLOGY

This area lies within the Abitibi Greenstone Belt , a region of predominantly volcanic rocks and related interflow sediments at the south-central region of the Superior Province. Several eras of intrusion and deformation have affected most of the lithologies present. Major structural deformation zones, (locally the Larder-Cadillac Deformation Zone), parallel each other east to west across the belt and seem to have acted as a control over gold deposition. The Abitibi Belt is host to many large gold (and base metal) deposits on both the Ontario and Quebec sides of the border along these structural trends, and has an exploration history going back well into the 1800's. A band of altered mainly fluvial sediments, folded and upturned to a near vertical position, coincide with the main trend of this structure less than eight hundred meters to the north of the claim group. The Round Lake Batholith, a large Archaen aged granitic intrusive occurs about 2.5 kilometers to the south.



LEGEND

Proterozoic

Keeweenawan diabase (not shown)

12 Cobalt Group

Archean

Matachewan diabase (not shown)

Granitic rocks

11 Granodiorite, monzonite, quartz monzonite, syenite

10 Massive to gneissic quartz diorite, tonalite, trondhjemite

Upper Supergroup

9 9a* Timiskaming Group, 9b** Destor-Porcupine Complex

8 8a, 8n, Blake River Group, 8c*** Blake River (Upper Fm., Tisdale Group)

7 7a, 7b, Kinojevis Group, 7c Kinojevis Group, (Middle Fm., Tisdale Group)

6 6a Larder Lake Group, 6b Stoughton Roquemaure Group, 6c Lower Fm., Tisdale Group

5 5c Porcupine Group

Lower Supergroups

4 4a Skead Group, 4b Hunter Mine Group, 4c Upper Fm., Deloro Group

3 3a Catherine Group, 3c Middle Fm., Deloro Group

2 2a Wabewawa Group, 2c Lower Fm. Deloro Group

1 1a Pacaud tuffs****

*a refers to Kirkland Lake Area, south limb of synclinorium (Jensen 1978c, 1979).
**b refers to Kirkland Lake Area, north limb of synclinorium (Jensen 1976, 1978b).
***c refers to Timmins Area (Pyke, 1980).
**** (Goodwin, 1965).

Figure-3 - General Geology

CLAIM GEOLOGY

The claim group lies along the northwestern contact of the Otto Stock, a syenitic intrusive complex which displays some large scale zoning features. The stock is almost circular with a diameter of about 12 kilometers. The majority of the rock north of the stock would be mafic to intermediate tholeiitic volcanic and interflow sediments with lesser komatiitic flows, previously mapped as Skead Group volcanics. A band of felsic tuffs and agglomerates with some inter-layered chemical sediments and iron formation parallel the contact of the stock and cut across the claim group in an arc .On the southern end of the claims,#3 post region of CL# 1239344, in an old drill hole, an un-sampled 90 meter wide band of amphibolite gneiss (+some altered gabbro) well mineralized with magnetite, pyrrhotite and odd chalcopyrite is logged as occurring between the sediments and the stock. Recent work by the O.G.S and the resident geologist's office, 1700 meters to the north-east of this hole along Hwy. 11, has documented anomalous gold, platinum, palladium and copper values in an amphibolite rock that may be the north-eastern extension of the zone intersected in the drill hole. This feature does not outcrop in the region of the drill hole or along strike on the claims. The western end of the claims(most of CL#1239354) cover a previously mapped gabbroic intrusive which exhibits layering or zoning of fine and coarser grained phases. Some epidote associated with quartz veins and some minor pyrites were noted on an outcrop at what would be the northern end of this unit

Several faults which parallel the Larder-Cadillac Deformation Zone cross the claim group. A fault at the north end of the group has been defined as a splay of the LCDZ, and locally displays deformation, quartz veining and intense carbonate alteration. Flow tops and pillow facings in the area generally face to the northwest on the claim group. Many small syenitic bodies outcrop in the area, some with considerable pyrite mineralization. An interesting area of exposed quartz-chert pebble conglomerate of the Skead Group lies about 200 meters north-west of the #2 post of CL# 1239354. Generally, much chloritization, carbonitization, sulfidization and quartz veining occurs on the claim group.Historic records note gold values on different parts of the area, but field work by the author has failed to positively locate these workings and duplicate the previous assays. Most "pit"-like workings encountered in the general areas of where early prior workings should be were slumped and filled to the point of not being samplable without complete re-digging,(possible next program ?)

PREVIOUS WORK

Core drilling, geophysical surveys, trenching, mapping ,sampling and geological studies have been conducted in the search for gold.There is quite a sizable sum of exploration activity submitted as assessment work for the area surrounding these claims; also a fair amount of prospecting has been done on these claims and indeed there are ongoing programs on contiguous claim areas, but a comprehensive compilation and correlation of this information is beyond the scope and intent of this report. With the exception of the most recent prior claim holders whom defined new features, most of the earlier reported programs were concentrated on previously defined target areas and neglected the intervening areas where poor outcrop exposure hampered prospecting. An extensive study of the available data was undertaken by the author and no doubt will serve as an irreplaceable guide and basis for further exploration in the area.

No.	Date	Property/Prospector Name	Type of Exploration	Significant Results
(1)	1930-48	Todora Kirkland/ Macassa	geol., 11 ddhs, 121 ft. shaft	Cpy, Mo, Au in qtz., up to 13.39% Cu
(2)	1938	A. Johnson	3 pits	up to 0.1 to 0.3 oz. Au/ton
(3)	1945	Sylvanite	trenches	trace to 0.023 oz. Au/ton
(4)	1955-57	Mr. Ahola	2 shafts, trenches, 1 ddh	up to 0.2 oz. Au/ton in tuff and qtz. veins
(5)	1965-69	M. Fishkin	3 ddhs	cpy + abund. py, cpy in south hole
(6)	1965-66	Keevil	geol., mag, EM, 3 ddhs	8 conductors, iron fm with 15%-80% sulphides 0.005 oz. Au/ton in sludge
(7)	1978-80	P. Harrington	5 ddhs	-
(8)	1980	KLIP	1 OVB hole	3,200 ppb Au in basal till
(9)	1980	Noranda	mag and EM, 1 ddh	3 short, strong conductors, up to 0.016 oz. Au/ton over 1 m
(10)	1980-84	J. Reed	geol., mag, EM, 3 ddhs	0.005 oz. Au/ton in grab, up to 0.01 oz. Au/ton over 1.5 m in core
(11)	1984-86	P. Rivard	trenching, 2 ddhs	up to 0.04 oz. Au/ton in grabs
(12)	1971	T LUTARIE	TRENCHING	UP TO 1 OZ IN GRABS 1.8% ZN IN GRABS
(13)	1944	A LUMSDEN	SHAFT 40'	SHAFT IN RED PORP. DYKE PINK QZ VEIN AT BOTTOM

LEGEND

PROTEROZOIC

ALKALIC INTRUSIVE ROCKS

7 — *7a Coarse-grained syenite, syenite porphyry, pegmatite.* *7b Mafic syenites, syenite contaminated by country rocks.* *7c Medium-grained syenite, syenitedikes.*

INTRUSIVE CONTACT

ARCHEAN

MAFIC INTRUSIVE ROCKS (MATACHEWAN OR NIPISSING)

6 — *6 Diabase.*

INTRUSIVE CONTACT

FELSIC INTRUSIVE ROCKS (ALGOMAN)

5 — *5a Granite, porphyritic granite, granodiorite.* *5b Granodioritic gneiss.* *5c Syenite and trachyte.* *5d Mafic syenite and mafic trachyte.*

INTRUSIVE CONTACT

EARLY MAFIC AND ULTRAMAFIC ROCKS (HAILEYBURIAN, EARLY ALGOMAN, AND KEEWATIN)

4 — *4a Serpentinite, peridotite.* *4b Gabbro, diorite.*

INTRUSIVE CONTACT

METASEDIMENTS (TIMISKAMING AND KEEWATIN)

3 — *3a Conglomerate.* *3b Quartzite, greywacke.* *3c Tuff, agglomerate, minor amounts of trachyte agglomerate, breccia.*

UNCONFORMITY AND INTERBEDDING

FELSIC METAVOLCANICS (KEEWATIN)

2 — *2a Rhyolite, dacite.* *2b Iron formation, silicic tuff, agglomerate.* *2c Dacite porphyry, amygdaloidal and spherulitic dacite.*

MAFIC METAVOLCANICS AND METASEDIMENTS

1 — *1 Unsubdivided mafic volcanics.* *1a Basalt, andesite.* *1b Chloritic mafic tuff, agglomerate.* *1c Altered (bleached, carbonatized) volcanic and sedimentary rocks.* *1d Amphibolite, garnet-cordierite amphibolite, amphibolite gneiss.* *1e Andesite porphyry, amygdaloidal and spherulitic dacite.* *1g Biotite-garnet-pyroxene amphibolite.*

SYMBOLS

- *Glacial striae.*
- *Area of bedrock outcrop.*
- *Bedding, top unknown: (inclined, vertical).*
- *Lava flow: top (arrow) from pillows shape and zoning.*
- *Schistosity: (horizontal, inclined, vertical).*
- *Gneissosity, (horizontal, inclined, vertical).*
- *Geological boundary, observed.*
- *Geological boundary, position interpreted.*
- *Fault: (observed, assumed). Sold indicates down throw side, arrows indicate horizontal movement.*
- *Lineament.*
- *Drag folds with plunge.*
- *Anticline, syncline, with plunge.*
- *Drill hole: (vertical, inclined).*
- *Vein, vein network. Width in inches.*
- *Shaft: depth in feet.*
- *Motor road. Provincial highway number encircled where appropriate.*
- *Other road.*
- *Trail, portage or winter road.*
- *Building.*

0 1/4 1/2 Mile

0 500 Metres

1 inch = 1/4 mile

FIGURE 4


PROPERTY GEOLOGY AND EXPLORATION

(After OGS Map 2239)


DRILL HOLE LOCATION

CL# 1239348 - EBY TWP

LOT 2, CONSESSION 5, S½, NW¼



DRILL HOLE SECTION - LOOKING EAST
EDH-7



0 10 20 40

1 INCH = 20 FEET
1 : 240

PRESENT WORK


During the summer of 2003, a program of core drilling was performed with a "Packsack" type portable core drill. Though slow and very labor intensive, the portability of this system is a major advantage. Three additional exploration drill holes with a combined total of 228 feet were put down to further define an interesting hematite-sericite-quartz altered breccia/vein and to test the rock under a linear topographic low area which is presumed to line up with a target drilled a little farther to the west.


RESULTS/CONCLUSIONS

Compilation of the drill holes indicate the presence of an altered breccia vein with an average thickness of 11 feet striking at about 350 degrees astronomical and dipping shallowly to the west at about 35 degrees. The rock both above and below the breccia have undergone carbonate alteration and quartz-calcite filled tight shearing.The predominantly ½ to 1 inch size breccia fragments which have undergone various degrees of iron, quartz, pyrite and sericite alteration (both bright mustard yellow and pale beige-tan) are in a mainly chloritic/gouge matrix. Sections of this break are strongly similar visually and mineralogically to the mineralized breaks at the Kirkland Lake mines such as the "R" Break and the "04" Break. The different alteration minerals present would represent different eras of alteration affecting the breccia and these are essentially the same as in Kirkland Lake proper. A comprehensive geochemical study of the core, representing three spaced cuts of this breccia/vein will be required to determine if gold enrichment has also occurred in this zone. The results of this study will determine if further work or deeper drilling is warranted at this location.

DRILL HOLE SECTION FACING SOUTH EAST

EDH - 8






1 INCH = 10 FEET
1: 120

DRILL HOLE SECTION - FACING SOUTH

EDH - 9



Ontario Ministry of Northern Development and Mine

Ministère du Développement du Nord et des Mines

Diamond Drilling Log

Journal de forage au diamant

Complete this form and related sketch in duplicate.

Remplir en deux exemplaires la présente formule et le croquis annexé

Fill in on every page

Remplir ces cases à chaque page

Hole No. / Forage n° EDH-7 | Page No. / Page n° 1

Drilling Company / Compagnie de forage: ERIC MARION		Collar Elevation / Élévation du collier	Bearing of hole from true North/Position du forage par rapport au nord vrai: 350° Ast.	Total Footage / Avancement total du forage: 116'	Dip of Hole at / Inclinaison du forage au: Collar/collier -45°	Address/Location where core stored / Adresse/endroit où la carotte est stockée: 126 DUNCAN AVE KIRKLAND LAKE,	Map Reference No. / N° de référence sur la carte: NTS 42A/1
Date Hole Started / Date de commencement du forage: MAY 24, 2003	Date Completed / Date d'achèvement: JULY 9, 2003	Date Logged / Date d'inscription au journal: A469/03	Logged by / Inscrit par: ERIC MARION		Ft./Pi		Claim No. / N° de concession minière: 1239348
Exploration Co., Owner or Optionee / Compagnie d'exploration, propriétaire ou titulaire d'option: ERIC MARION		Date Submitted / Date de dépôt: JULY 18/04	Submitted by (Signature) / Déposé par (signature)		Ft./Pi		Location (Twp. Lot, Con. or Lat. and Long.) / Emplacement (canton, lot, concession, ou latitude et longitude): EBY TWP. LOT 2, CONSESSIONS, SOUTH HALF, NW 1/4
					Ft./Pi		Property Name / Nom de la propriété

Footage/Avancement From/De	To/À	Rock Type / Type de roche	Description (Colour, grain size, texture, minerals, alteration, etc.) / Description (Couleur, granulométrie, texture, minéraux, transformation, etc.)	Planar Feature Angle*/Angle des caractéristiques planes	Core Specimen Footage †/Longueur en pieds des carottes prélevées	Your Sample No. / N° d'échantillon du prospecteur	Sample Footage/Niveau de prélèvement de l'échantillon (en pieds) From/De	To/À	Sample Length / Longueur de l'échantillon	Assays †/Analyses minéralurgique
0	10'	ANDESITE ?	VERY FRACTURED, CARBONATED, QZ-CALCITE VEINED GREY FINE GRAINED ROCK. NUMEROUS 1/8 TO 2" VEINS AT VARIOUS ANGLES TO CORE. THREE TYPES OF QZ-CALCITE, BEING GLASSY GREYISH, GLASSY WHITISH AND GRANULAR APPEARING WHITISH.							
10'	23'6"	BRECCIA VEIN ?	HIGHY ALTERED SILICIFIED ZONE. ALMOST COMPLETE REPLACEMENT OF ORIGINAL ROCK BY CALCITE AND SERICITIC QZ VEINING. ODD PINKISH CALCITE VEINLET. PYRITE IN BLEBS, FINE DISSEMINATIONS TO ABOUT 2% THROUGH OUT. SOME PINK BRECCIA FRAGMENTS IN A CHLORITE MATRIX IN DISCRETE SECTIONS. ODD CHPY.							
23'6"	116'	ALTERED ANDESITE	GREENISH GREY TO DARK GREY-GREEN 1-2mm GRAINED, SOFTER THAN A NAIL ANDESITE FLOW, FRACTURED WITH WISPY QZ-CALCITE STRINGERS, REDDISH TINGE TO ROCK IN SECTIONS DUE TO IRON ALTERATION. ODD CHPY. GENERAL "GRAIN" AT ABOUT 25° TO CA, CHANGING UP TO ABOUT 45° AT BOTTOM OF HOLE. MANY 1/8" TO 1/4" QZ CALCITE VEINLETS CUTTING							

12

0204 (03/91)

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.

*Exemples de caractéristiques : foliation, schistosité, stratification. L'angle est mesuré par rapport à l'axe longitudinal de la carotte.

† Additional credit available. See Assessment Work Regulation.

† Des crédits supplémentaires sont offerts. Consulter les règlements relatifs aux travaux d'évaluatic

Nota : Dans cette formule, lorsqu'il désigne des personnes, le masculin est utilisé au sens neutre.

Ministry of Northern Development and Mines
Ontario

Ministère du Développement du Nord et des Mines

Diamond Drilling Log

Journal de forage au diamant

Complete this form and related sketch in duplicate.

Remplir en deux exemplaires la présente formule et le croquis annexé

Fill in on every page

Remplir ces cases à chaque page

Hole No. Forage n° EDH-7

Page No Page n° 2

Footage/Avancement From/De	To/À	Rock Type Type de roche	Description (Colour, grain size, texture, minerals, alteration, etc.) Description (Couleur, granulométrie, texture, minéraux, transformation, etc.)	Planar Feature Angle*/Angle des caractéristiques planes	Core Specimen Footage †/Longueur en pieds des carottes prélevées	Your Sample No. N° d'échantillon du prospecteur	Sample Footage/Niveau de prélèvement de l'échantillon (en pieds) From/De	To/À	Sample Length Longueur de l'échantillon	Assays †/Analyses minéralurgique
			CORE AT MAINLY 25° AND 45°, PYRITIC ALTERATION							
			MORE PRONOUNCED AROUND PINKISH COLORED QZ-CALCITE							
			VEINLETS, IN SPOTS PYRITE TO 20%.							
		68' 5"	2" BANDED QZ-CALCITE-CHLORITE VEIN AT 40° TO CA							
		53' 3"	3" BANDED PINKISH QZ-CALCITE VEIN MUCH PYRITE IN							
			THIN SEAMS - AT 40° TO CA							
		91' 5"	5" SMOKY QZ VEIN AT 55° TO CA MUCH CHPY IN							
			BLEBS 1/8" TO 3/8"							
116'			EOH							

13

0204 (03/91)

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.

*Exemples de caractéristiques : foliation, schistosité, stratification. L'angle est mesuré par rapport à l'axe longitudinal de la carotte.

† Additional credit available. See Assessment Work Regulation.

† Des crédits supplémentaires sont offerts. Consulter les règlements relatifs aux travaux d'évaluation

Nota : Dans cette formule, lorsqu'il désigne des personnes, le masculin est utilisé au sens neutre.

Ontario Ministry of Northern Development and Mines / Ministère du Développement du Nord et des Mines

Diamond Drilling Log / Journal de forage au diamant

Complete this form and related sketch in duplicate. / Remplir en deux exemplaires la présente formule et le croquis annexé

Fill in on every page / Remplir ces cases à chaque page

Hole No. / Forage n° EDH-8 | Page No / Page n° 1

Drilling Company / Compagnie de forage: ERIC MARION	Collar Elevation / Élévation du collier	Bearing of hole from true North/Position du forage par rapport au nord vrai: 220°Ast	Total Footage / Avancement total du forage: 30'	Dip of Hole at / Inclinaison du forage au: Collar/collier -44°	Address/Location where core stored / Adresse/endroit où la carotte est stockée: 126 DUNCAN AVE. KIRKLAND LAKE	Map Reference No. / N° de référence sur la carte: NTS 42A1	Claim No. / N° de concession minière: 1239348
Date Hole Started / Date de commencement du forage: JULY 12, 2003	Date Completed / Date d'achèvement: JULY 17, 2003	Date Logged / Date d'inscription au journal: JULY 19/03	Logged by / Inscrit par: ERIC MARION	Ft./Pi		Location (Twp. Lot, Con. or Lat. and Long.) / Emplacement (canton, lot, concession, ou latitude et longitude): EBY TWP. LOT 2, CONSESSION 5 SOUTH HALF, NW¼	
Exploration Co., Owner or Optionee / Compagnie d'exploration, propriétaire ou titulaire d'option: ERIC MARION		Date Submitted / Date de dépôt: JULY 18/04	Submitted by (Signature) / Déposé par (signature)	Ft./Pi		Property Name / Nom de la propriété: PLUNKY PROPERTY (WEST)	

Footage/Avancement From/De	To/À	Rock Type / Type de roche	Description (Colour, grain size, texture, minerals, alteration, etc.) / Description (Couleur, granulométrie, texture, minéraux, transformation, etc.)	Planar Feature Angle*/Angle des caractéristiques planes	Core Specimen Footage †/Longueur en pieds des carottes prélevées	Your Sample No. / N° d'échantillon du prospecteur	Sample Footage/Niveau de prélèvement de l'échantillon (en pieds) From/De	To/À	Sample Length / Longueur de l'échantillon	Assays †/Analyses minéralurgiques
0	17'3"	ANDESITE?	HIGHLY FRACTURED, CARBONATED QZ-CALCITE VEINED GREY FINE GRAINED ROCK. NUMEROUS CROSS-CUTTING QZ-CALCITE VEINS AND STRINGERS AT VARIOUS ORIENTATIONS TO CORE. QZ TYPES SAME AS EDH-7. SCANT PYRITE THROUGHOUT.							
		7'6"-8'6"	BRECCIA VEIN. ALTERED WHITISH FRAGMENTS IN A WHITISH QZ AND GLASSY GREY QZ MATRIX. MUCH DISSEMINATED PYRITE TO 10%.							
23'	30'	BRECCIA VEIN?	VARIABLY BLEACHED, SILICIFIED, PYRITIZED SERICITIZED BRECCIA. SERICITE VARIES FROM PALE YELLOWISH TO DISTINCT BEIGE/TAN COLOR. PYRITE VARIABLE TO 5% THROUGHOUT IN DISSEMINATIONS, BLEBS AND MASSES TO 1/8 INCH. GREY + WHITE QZ VEINS TO 1/4"							
	30'		HOLE STOPPED DUE TO BROKEN COREBARREL IN HOLE. CHLORITE AS MATRIX TO BRECCIA IN TIGHT SECTIONS.							

0204 (03/91)

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.
*Exemples de caractéristiques : foliation, schistosité, stratification. L'angle est mesuré par rapport à l'axe longitudinal de la carotte.

† Additional credit available. See Assessment Work Regulation.
† Des crédits supplémentaires sont offerts. Consulter les règlements relatifs aux travaux d'évaluation
Nota : Dans cette formule, lorsqu'il désigne des personnes, le masculin est utilisé au sens neutre.

Ministry of Northern Development and Mines
Ontario

Ministère du Développement du Nord et des Mines

Diamond Drilling Log

Journal de diamant

Complete this form and related sketch in duplicate.
Remplir en deux exemplaires la présente formule et le croquis annexé

Fill in on every page
Remplir ces cases à chaque page

Hole No. Forage n° EDH-9 | Page N Page n 1

Drilling Company / Compagnie de forage	Collar Elevation / Élévation du collier	Bearing of hole from true North/Position du forage par rapport au nord vrai	Total Footage / Avancement total du forage	Dip of Hole at / Inclinaison du forage au	Address/Location where core stored / Adresse/endroit où la carotte est stockée	Map Reference No. / N° de référence sur la carte	Claim No. / N° de concession minière
ERIC MARION		260° AST	82'	Collar/collier -41°	126 DUNCAN AVE. KIRKLAND LAKE	NTS 42 A/1	1239348

Date Hole Started / Date de commencement du forage	Date Completed / Date d'achèvement	Date Logged / Date d'inscription au journal	Logged by / Inscrit par	Ft./Pi
JULY 18, 2003	AUG 6, 2003	AUG 10, 03	ERIC MARION	

Exploration Co., Owner or Optionee / Compagnie d'exploration, propriétaire ou titulaire d'option	Date Submitted / Date de dépôt	Submitted by (Signature) / Déposé par (signature)	Ft./Pi
ERIC MARION	JULY 18/04		

Location (Twp. Lot, Con. or Lat. and Long.) / Emplacement (canton, lot, concession, ou latitude et longitude)
EBY Twp
LOT 2, CONSESSION 5, SOUTH HALF, NW¼

Property Name / Nom de la propriété
PLINKY PROPERTY (WEST)

Footage/Avancement From/De	To/À	Rock Type / Type de roche	Description (Colour, grain size, texture, minerals, alteration, etc.) / Description (Couleur, granulométrie, texture, minéraux, transformation, etc.)	Planar Feature Angle*/Angle des caractéristiques planes	Core Specimen Footage †/Longueur en pieds des carottes prélevées	Your Sample No. / N° d'échantillon du prospecteur	Sample Footage/Niveau de prélèvement de l'échantillon (en pieds) From/De	To/À	Sample Length / Longueur de l'échantillon	Assays †/Analyses minéralurgique
0	24	ANDESITE ?	FRACTURED, SOMEWHAT ALTERED GREEN FINE TO MEDIUM GRAINED VOLCANIC ROCK. MANY CROSS CUTTING QZ-CALCITE VEINS AT VARIOUS ANGLES TO CORE, MILKY WHITE QUARTZ, CHERTY GREYISH QUARTZ AND GLASSY CLEAR QZ FROM 1/8 TO 4" WITH CHERTY QZ HAVING LARGEST AVERAGE WIDTH. THROUGH OUT SECTION, SOME 1/32 TO 1/8 PYRITE CUBES TO 1% THROUGH OUT.							
24	51	BRECCIA VEIN	HIGHLY BRECCIATED ALTERED SECTION. FRAGMENTS BLEACHED, SERICITIZED HEMATIZED, PYRITIZED, SILICIFIED IN SECTIONS NOT NECESSARILY ALL PRESENT IN ONE SECTION. BRECCIA MATRIX DOMINANTLY DARK GREEN CHLORITE, ITSELF FULL OF FINE BRECCIA FRAGMENTS, WHERE NOT REPLACED. VARIOUS DEGREES OF SERICITE PRESENT THROUGH OUT FROM YELLOW TO BEIGE/TAN COLOR, PRIMARY MINERALS IN FRAGMENTS COMPLETELY REPLACED. PYRITE IN SMALL BLEBS TO 1/8" AND IN SPRAYS AND FINE DISSEMINATIONS THROUGHOUT SECTION. SECTION REMINISCENT OF BRECCIA SECTIONS ON "04", AND MAIN BREAK" SECTIONS IN KIRKLAND LAKE CAMP IN							

15

0204 (03/91)

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.
*Exemples de caractéristiques : foliation, schistosité, stratification. L'angle est mesuré par rapport à l'axe longitudinal de la carotte.

† Additional credit available. See Assessment Work Regulation.
† Des crédits supplémentaires sont offerts. Consulter les règlements relatifs aux travaux d'évaluatic
Nota : Dans cette formule, lorsqu'il désigne des personnes, le masculin est utilisé au sens neutre.

Ministry of Northern Development and Mines — Ontario

Ministère du Développement du Nord et des Mines

Diamond Drilling Log / Journal de forage au diamant

Complete this form and related sketch in duplicate.
Remplir en deux exemplaires la présente formule et le croquis annexé

Fill in on every page
Remplir ces cases à chaque page

Hole No. / Forage n° : EOH-9

Page No. / Page n° : 2

Footage/Avancement From/De	Footage/Avancement To/À	Rock Type / Type de roche	Description (Colour, grain size, texture, minerals, alteration, etc.) / Description (Couleur, granulométrie, texture, minéraux, transformation, etc.)	Planar Feature Angle*/Angle des caractéristiques planes	Core Specimen Footage †/ Longueur en pieds des carottes prélevées	Your Sample No. / N° d'échantillon du prospecteur	Sample Footage/Niveau de prélèvement de l'échantillon (en pieds) From/De	Sample Footage/Niveau de prélèvement de l'échantillon (en pieds) To/À	Sample Length / Longueur de l'échantillon	Assays †/Analyses minéralurgique
			COLOR TEXTURE AND OVERALL MINERALOGY, MINOR							
			ANKERITIC SECTIONS IDENIFIABLE AS RUSTY QZ AREAS,							
			LESS CROSS CUTTING QZ VEINLETS THAN ABOVE SECTION							
			AND MOST UNDER 1/4 INCH, MOST INTENSE BLEACHING							
			- SILICIFICATION/PYRITE FROM 29 FEET TO 31 FEET ODD							
			CHPY AND ODD ^ METALIC SKYBLUE BORNITE? CUBE (TINY)							
51	82'	ANDESITE	5% (1mm) FLECKS OF BEIGE SERICITE DECREASIG DOWN							
			SECTION TO LESS THAN 1% AT 60'. CHLORITIC							
			ALTERATION AND MANY CROSS CUTTING 1/8" TO 1/4"							
			QZ VEINLETS AT MANY ANGLE TO CORE BUT MANY							
			AT APPROX. 80° 60° AND 45° TO CORE ANGLE							
			MEDIUM GREEN COLOR TO SECTION WITH OVERALL							
			HARDNESS OF ABOUT COMMON NAIL. YELLOW							
			SERICITE IN TIGHT WISPY THREADS AND FINE							
			- DISSEMINATION IN SECTIONS NOTABLY FROM							
			74' TO 76'. PYRITE IN DISSEMINATIONS AND							
			SPRAYS IN SECTIONS UP TO ABOUT 1 FOOT							
			CORE LENGHT WITH PYRITE TO 5% PRESENT							
			IN PATCHES THROUGHOUT. CROSS CUTTING VEINLETS							
			OF WHITE QZ AND CHERTY QZ ONLY. NO GLASSY QZ							
			STRINGERS, AS IN SECTIONS ABOVE.							
82			EOH							

0204 (03/91)

*For features such as foliation, bedding, schistosity, measured from the long axis of the core.
*Exemples de caractéristiques : foliation, schistosité, stratification. L'angle est mesuré par rapport à l'axe longitudinal de la carotte.

† Additional credit available. See Assessment Work Regulation.
† Des crédits supplémentaires sont offerts. Consulter les règlements relatifs aux travaux d'évaluatic
Nota : Dans cette formule, lorsqu'il désigne des personnes, le masculin est utilisé au sens neutre.

Work Report Summary

Transaction No: W0480.01136 **Status:** APPROVED
Recording Date: 2004-JUL-19 **Work Done from:** 2003-MAY-20
Approval Date: 2004-JUL-27 **to:** 2004-JUL-17

Client(s):

164694 MARION, ERIC JOSEPH

Survey Type(s):

PDRILL

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
L 1239348	$10,669	$10,669	$1,512	$1,512	$5,200	5,200	$3,957	$3,957	2005-JUL-18
L 1239352	$0	$0	$1,600	$1,600	$0	0	$0	$0	2005-SEP-05
L 1239353	$0	$0	$1,200	$1,200	$0	0	$0	$0	2005-AUG-30
L 1239354	$0	$0	$2,400	$2,400	$0	0	$0	$0	2005-SEP-25
	$10,669	$10,669	$6,712	$6,712	$5,200	$5,200	$3,957	$3,957	

External Credits: $0

Reserve:

$3,957 Reserve of Work Report#: W0480.01136

$3,957 Total Remaining

Status of claim is based on information currently on record.



42A01SE2023 2.28124 EBY 900

Ministry of
Northern Development
and Mines

Ministère du
Développement du Nord
et des Mines

Ontario

GEOSCIENCE ASSESSMENT OFFICE
933 RAMSEY LAKE ROAD, 6th FLOOR
SUDBURY, ONTARIO
P3E 6B5

Tel: (888) 415-9845
Fax:(877) 670-1555

Date: 2004-JUL-27

ERIC JOSEPH MARION
126 DUNCAN AVENUE
KIRKLAND LAKE, ONTARIO
P2N 1Y5 CANADA

Submission Number: 2.28124
Transaction Number(s): W0480.01136

Dear Sir or Madam

Subject: Approval of Assessment Work

We have approved your Assessment Work Submission with the above noted Transaction Number(s). The attached Work Report Summary indicates the results of the approval.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

If you have any question regarding this correspondence, please contact BRUCE GATES by email at bruce.gates@ndm.gov.on.ca or by phone at (705) 670-5856.

Yours Sincerely,

Ron C Gashinski.

Ron.C. Gashinski
Senior Manager, Mining Lands Section

Cc: Resident Geologist

Eric Joseph Marion
(Claim Holder)

Assessment File Library

Eric Joseph Marion
(Assessment Office)

ONTARIO CANADA — MINISTRY OF NORTHERN DEVELOPMENT AND MINES — PROVINCIAL MINING RECORDER'S OFFICE

Mining Land Tenure Map


Date / Time of Issue: Fri Aug 13 09:45:05 EDT 2004

TOWNSHIP / AREA **EBY**

PLAN **M-0345**

ADMINISTRATIVE DISTRICTS / DIVISIONS

Mining Division	Larder Lake
Land Titles/Registry Division	TIMISKAMING
Ministry of Natural Resources District	KIRKLAND LAKE



TOPOGRAPHIC

Administrative Boundaries
Township
Concession, Lot
Provincial Park
Indian Reserve
Cliff, Pit & Pile
Contour
Mine Shafts
Mine Headframes
Railway
Road
Trail
Natural Gas Pipeline
Utility
Tower

Land Tenure

Freehold Patent
Surface And Mining Rights
Surface Rights Only
Mining Rights Only

Leasehold Patent
Surface And Mining Rights
Surface Rights Only
Mining Rights Only

Licence of Occupation
Uses Not Specified
Surface And Mining Rights
Surface Rights Only
Mining Rights Only

LUP — Land Use Permit
OIC — Order In Council (first open for staking)
WPLA — Water Power Lease Agreement
Mining Claim (e.g. 1234567)
Filed Only Mining Claims (e.g. 1234567)

LAND TENURE WITHDRAWALS

123A — Areas Withdrawn from Disposition

Mining Act Withdrawal Types
Wsm — Surface And Mining Rights Withdrawn
Ws — Surface Rights Only Withdrawn
Wm — Mining Rights Only Withdrawn

Order In Council Withdrawal Types
W-Sm — Surface And Mining Rights Withdrawn
W-S — Surface Rights Only Withdrawn
W-M — Mining Rights Only Withdrawn

No — IMPORTANT NOTICES

Scale 1:20000
740m 0m 2.1km

LAND TENURE WITHDRAWAL DESCRIPTIONS

Identifier	Type	Date	Description
1072	Wsm	Jan 1, 2001	SURFACE AND MINING RIGHTS WITHDRAWN FROM PROSPECTING, STAKING OUT, SALE OR LEASE SECTION, THE MINING ACT, RSO 1990 W-L-1936 NER
3966	Wsm	Jan 1, 2001	PENDING APPLICATION FOR SURFACE RIGHTS UNDER THE PUBLIC LANDS ACT
3968	Wsm	Jan 1, 2001	TOPL (PIPELINE) APPLICATION FOR RIGHTS OF WAY
4056	Wsm	Jan 1, 2001	400FT SURFACE RIGHTS RESERVATION ALONG THE SHORES OF ALL LAKES & RIVERS
4107	Wsm	Jan 1, 2001	WASTE DISPOSAL SITE SEC.43
9005	Wsm	Jan 1, 2001	W11/80 N.R. 29755 12/11/80 S.R.O.
9002	Wsm	Jan 1, 2001	WASTE DISPOSAL SITE
A.P. 89877	Wsm	Jun 11, 2002	Aggregate Permit- Category 11 #89877
P. PLA	Ws	Jan 23, 2002	Pending Application Sec. 30(b) and 28(2). Surface Rights Only.
P. PLA	Wsm	Jan 23, 2002	Pending Application Sec. 30(b) and 28(2). Surface Rights Only.
P.PLA	Ws	Jan 23, 2002	Pending Application Sec. 30(b) and 28(2). Surface Rights Only.
W-L-1-9/00	Wsm	Mar 20, 2000	Sec. 38 W-L-1-9/00 20/03/2000 M+S 158180
W-L-95/95	Wsm	Aug 2, 1995	W-L-95/95 NER AUGUST 2 95 M+S
W-L-74/03	Wsm	Jan 16, 2004	Sec. 35 W-L-74/03 M+S 2004/01/16 1HR 50
W-L-94/94	Wsm	Jul 28, 1994	W-L-94/94 NER JULY 28 1994 M & S SECTION 38, R.S.O. 1990
W-LL-P1614	Wsm	Feb 15, 2002	W-LL-P1614-02 ONT MNR withdrawal 5.35 Mining Act RSO 1990, 12.02.02 Boundary generally depicts area withdrawn. Click to view actual area withdrawn.

IMPORTANT NOTICES

Areas under which special regulations, limitations or conditions exist that affect normal prospecting, staking and mineral development activities.

Type	Description
Note	*Please enter a description for this item.*

2.28124
PDRILL

200

42A01SE2023 2.28124 EBY

General Information and Limitations

Those wishing to stake mining claims should consult with the Provincial Mining Recorders' Office of the Ministry of Northern Development and Mines for additional information on the status of the lands shown hereon. This map is not intended for navigational, survey, or land title determination purposes as the information shown on this map is compiled from various sources. Completeness and accuracy are not guaranteed. Additional information may also be obtained through the local Land Titles or Registry Office, or the Ministry of Natural Resources.

Contact Information:
Provincial Mining Recorders' Office
William Gowan Miller Centre 933 Ramsey Lake Road

Toll Free
Tel: 1-888-415-9845 ext 3742 (direct)
Fax: 1-877-670-1444

Map Datum: NAD 83
Coordinate: UTM (5 degree)

This map may not show unregistered land tenure and interests in land including certain patents, leases, easements, right of ways, flooding rights, licenses, or other forms of disposition of rights and interest from the Crown. Also lands in land tenure and land uses that restrict or prohibit free entry to stake mining claims may not be illustrated.