42A01SE0206 18 EBY

DIAMOND DRIL...

TOWNSHIP: Eby

REPORT NO.: 18

WORK PERFORMED BY: James D. Reed

CLAIM NO.	HOLE NO.	FOOTAGE	DATE	NOTE
L 545993	2	102.0	Sept/80	(1)

NOTES: (1) #442-80

THE MINING ACT – MINISTRY OF NATURAL RESOURCES

Ontario

DIAMOND DRILLING LOG

Start a new page for every new hole, but fill in top portion of form only on first page for each hole.

FILL IN ON EVERY PAGE

HOLE NO.	PAGE NO.
2	1

DRILLING COMPANY: Patrick J Harrin

COLLAR ELEVATION:

BEARING OF HOLE FROM TRUE NORTH: 40° E

TOTAL FOOTAGE: 102° Ft

DIP OF HOLE AT: collar | -45°

DATE HOLE STARTED: Sept 14

DATE COMPLETED: Sept 14

DATE LOGGED: Nov 20

LOGGED BY: Gary Grabowski

DATE SUBMITTED:

SUBMITTED BY (Signature):

EXPLORATION CO., OWNER OR OPTIONEE:

LOCATION OF HOLE IN RELATION TO A FIXED POINT ON THE CLAIM: 135 ft [illegible] d 35 ft [illegible] claim

MAP REFERENCE NO.: M 343

CLAIM NO.: S-45993


LOCATION (Tp., Lot, Con. OR Lot. and Long.): Ely twp SL 15½ Lot 2 Con V


PROPERTY NAME:

FOOTAGE FROM	FOOTAGE TO	ROCK TYPE	DESCRIPTION (Colour, grain size, texture, minerals, alteration, etc.)	PLANAR FEATURE ANGLE *	CORE SPECIMEN FOOTAGE +	YOUR SAMPLE NUMBER	SAMPLE FOOTAGE FROM	SAMPLE FOOTAGE TO	SAMPLE LENGTH	ASSAYS +
0	22	Cherty Tuff	graphitic - dark grey to black - angular to subrounded fragments up to 5 mm minor disseminated pyrite (less than 1%)							
22	50	Graphitic Chert	massive, very fine grained, black graphitic chert well mineralized with pyrrhotite, pyrite (up to 3%) and some chalcopyrite							
50	102	Andesite	fine to medium grained pillowed andesite pillow selvage at 64' amygdaloidal 72'-74' with fine grained flow top breccia at 75'. from 75' to 102' flow is more massive and finer grained - very little mineralization							
			102' End of Hole							
				L-545993						L-545992

* For features such as foliation, bedding, schistosity, measured from the long axis of the core

Hole # 2




Twp. M.351
Otto Twp. M.379
VI
V
IV
III
II
I
5
4
3
2
1
#1442-80
James D. Reid
SCA
PATENTE
CROWN
LEASES
LOCATED
LICENSE
MINING
SURFACE
ROADS
IMPROVE
KING'S
RAILWAY
POWER
MARSH
MINES
CANCELL
400' su
of all
Res
PL